

Uka Tarsadia University (Diwaliba Polytechnic)	
Diploma in Information Technology	
Objective Type Questions(Advanced Java Programming-020070603)	
Unit 3 Swing	
1. What is a part of Java Foundation Classes (JFC)?	a) Swing b) AWT c) JDBC d) JSP
2. Components of Swing are platform independent as compared to AWT components. True False	
3. JFC support more component as compared to AWT classes. True False	
4. JApplet class extends class	a) Applet b) AWT c) Object d) Window
5. Which of following Pane supported by JApplet?	a) ContentPane b) GlassPane c) RootPane d) All of above
6. What is used to create a label that can display text, image or both it?	a) JLabel b) JTextField c) JButton d) JCheckBox
7. JLabel can be created using which of the following constructor?	a) JLabel(String S) b) JLabel(String S, int Alignment) c) JLabel(Icon I) d) All of above
8. In Swing Icon can be implemented using which class?	a) ImageIcon Class b) Container Class c) JButton d) JCheckBox
9. Which is used to create a single line text filed using which user can enter or edit single line of text?	a) JTextField b) JButton c) JCheckBox

d) JComment
<p>10. Which constructor of JTextField is used to create a single line text field with default string associated with it and specifying number of columns for that text field?</p> <p>a) JTextField(String S) b) JTextField(String S,int Columns) c) JTextField(Default Constructor) d) JTextField(int Column)</p>
<p>11. Which AWT control is used to create a push button?</p> <p>a) JTextField b) JButton c) JCheckBox d) JComment</p>
<p>12. What is indicated by following pseudo code? ImageIcon i = new ImageIcon("photo1.jpg")</p> <p>a) Resizing image using ImageIcon class b) Creating image using ImageIcon class c) Deleting image using ImageIcon class d) Cropping image using ImageIcon class</p>
<p>13. User can set the state JCheckBox using ----- method.</p> <p>a) setSelected() b) getSelected() c) setDisplay() d) isSelected()</p>
<p>14. which constructor of JCheckBox Class is used to create a CheckBox by specifying Text as well as Image to be displayed along with checkbox?</p> <p>a) JCheckBox(String S, Icon I) b) JCheckBox() c) JCheckBox(String S) d) JCheckBox(Icon I)</p>
<p>15. What is the name of the Swing class that is used for frames?</p> <p>a) Window b) Frame c) JFrame d) SwingFrame</p>
<p>16. Which of following having state either true or false?</p> <p>a) JTextField b) JRadioButton c) JFrame d) JLabel</p>
<p>17. JRadioButton can be created how many constructor?</p> <p>a. 5 b. 4 c. 3 d. 6</p>
18. By default, each JRadioButton that is placed on a container works independently

<ul style="list-style-type: none"> a. True b. False
<p>19. Which of following is used to create a AWT control which is combination of TextField and drop down list?</p> <ul style="list-style-type: none"> a. JRadioButton b. JLabel c. JComboBox d. JTextField
<p>20. Select correct syntax of constructor to create JComboBox?</p> <ul style="list-style-type: none"> a. JComboBox (Object [] Items); b. JComboBox(); JTextField(Object [] Items); c. JTextField(Object [] Items); JComboBox(); d. JComboBox(); addItem(Object [] Items);

Unit 5 Servlets
<p>1. What is the difference between servlets and applets?</p> <ul style="list-style-type: none"> i. Servlets execute on Server; Applets execute on browser ii. Servlets have no GUI; Applet has GUI iii. Servlets creates static web pages; Applets creates dynamic web pages iv. Servlets can handle only a single request; Applet can handle multiple requests <ul style="list-style-type: none"> a) i, ii, iii are correct b) i, ii are correct c) i, iii are correct d) i, ii, iii, iv are correct
<p>2. Which of the following is true about servlets?</p> <ul style="list-style-type: none"> a) Servlets execute within the address space of web server. b) Servlets are platform-independent because they are written in java. c) Servlets can use the full functionality of the Java class libraries. d) Servlets execute within the address space of web server, platform independent and uses the functionality of java class libraries.
<p>3. What is javax.servlet.Servlet?</p> <ul style="list-style-type: none"> a) Interface b) abstract class c) concrete class d) None of the above.
<p>4. Which packages represent interfaces and classes for servlet API?</p> <ul style="list-style-type: none"> a. javax.servlet b. javax.servlet.http c. Both A & B

d. None of the above
<p>5. What is the lifecycle of a servlet?</p> <p>a) Servlet class is loaded b) Servlet instance is created c) init,Service,destroy method is invoked d) All mentioned above</p>
<p>6. Servlet is a special program of java that runs on a _____. a) Web server b) Container c) Web container d) None of mention</p>
<p>7. Servlet technology is used to create _____. a) web application b) desktop application c) static application d) None of mention</p>
<p>8. Web application made by using servlet is a) Secured b) Scalable c) Robust d) All of mention</p>
<p>9. Which one of the following is false about the servlet? a) Response time for any request is less. b) Servlet are scalable. c) Servlet are robust and object oriented. d) Servlet are platform dependent.</p>
<p>10. Servlet is _____ technology. a) Server side b) Client side c) Platform Depended d) None of mention</p>
<p>11. Servlet is more powerful than Applet. True False</p>
<p>12. What is full form of JSDK. a) Java Servlet Development Kit b) Java Server Development Kit c) Java Server Deployment Kit d) Java Servlet Deployment Kit</p>
<p>13. What JKDK include? a) jsdk.jar file b) Java ServletRunner c) Several Java Servlet examples d) All of the mention</p>

14. JSDK contains
<ul style="list-style-type: none"> a) Classes b) Interfaces c) Classes and interfaces d) Components
15. Which of the following maintain life cycle of a servlet?
<ul style="list-style-type: none"> a) Web container b) Web manager c) Web server d) Web client
16. Which of the following is not state of a servlet life cycle?
<ul style="list-style-type: none"> a) new b) born c) ready d) end
17. Servlet is in new state if_____
<ul style="list-style-type: none"> a) Load servlet class b) Create instance of servlet c) Call init() method d) All of mention
18. Servlet is in ready state than_____.
<ul style="list-style-type: none"> a) It perform all task b) Call init() method c) Create instance of servlet d) Load servlet class
19. Which one of the following method is called when servlet is in ready state?
<ul style="list-style-type: none"> a) service() b) destroy() c) init() d) ready()
20. Which one of the following is package used for servlet methods?
<ul style="list-style-type: none"> a) javax.servlet.Servlet b) javax.servlet.servlet c) java.servlet.Servlet d) javax.servlet.Server

Unit 6 Java Server Pages	
1.	Which tag should be used to pass information from JSP to included JSP?
	<ul style="list-style-type: none"> a) Using <%jsp:page> tag b) Using <%jsp:param> tag c) Using <%jsp:import> tag d) Using <%jsp:useBean> tag
2.	Which one is the correct order of phases in JSP life cycle?
	<ul style="list-style-type: none"> a) Initialization, Cleanup, Compilation, Execution b) Initialization, Compilation, Cleanup, Execution

c) Compilation, Initialization, Execution, Cleanup d) Cleanup, Compilation, Initialization, Execution
3. "request" is instance of which one of the following classes? a) Request b) HttpRequest c) HttpServletRequest d) ServletRequest
4. Which is not a directive? a) include b) page c) export d) useBean
5. Can <code><!--comment--></code> and <code><%--comment--%></code> be used alternatively in JSP? a) True b) False
6. Java code is embedded under which tag in JSP? a) Declaration b) Scriptlet c) Expression d) Comment
7. What is full form of JSP? a) Java Server Page b) Java Servlet Page c) Java Source Page d) Java Servlet Pages
8. What is the correct signature of <code>_jspService()</code> method of <code>HttpJspPage</code> class? a) <code>void _jspService(HttpServletRequest request, HttpServletResponse response)</code> b) <code>void _jspService(HttpServletRequest request, HttpServletResponse response) throws ServletException, IOException</code> c) <code>void _jspService()</code> d) <code>void _jspService() throws ServletException, IOException</code>
9. JSP includes a mechanism for defining or custom tags. a) static attributes b) local attributes c) dynamic attributes d) global attributes
For What JSP is used? a) Server-side dynamic content generation b) Client Side language for validation c) Client side static content generation d) Client side dynamic content generation
10. Which JSP Action tags is used to include the content of another resource, it may be JSP, html or Servlet?

<ul style="list-style-type: none"> a) <jsp:include> b) <jsp:forward> c) <jsp:plugin> d) <jsp:papam>
<p>11. . A JSP page consists of which tags?</p> <ul style="list-style-type: none"> a) HTML tags b) JSP tages c) Both HTML and JSP tags d) None of above
<p>12. Is JSP technology extensible?</p> <ul style="list-style-type: none"> a) True b) False.
<p>13. Which of the following is not a directive in JSP?</p> <ul style="list-style-type: none"> a) page directive b) include directive c) taglib directive d) command directive
<p>14. What are the advantages of JSP?</p> <ul style="list-style-type: none"> a) platform independent b) good performance and scalability c) easily maintained d) All of the above
<p>15. Compilation process of JSP page involves</p> <p>JSP પેજની કંપાઈલેશનન પ્રક્રિયામાં સામેલ છે:</p> <ul style="list-style-type: none"> a) Parsing of JSP b) Turning JSP into servlet c) Compiling the servlet d) All of the above
<p>16. Which syntax is used to defines the programming language (underlying language) being used in the JSP?</p> <ul style="list-style-type: none"> a) <%@page language="value"%> b) <@page language="value"!> c) <@page language="value"> d) None of the above
<p>17. Which one of the following is a syntax to create a simple JSP? A.</p> <ul style="list-style-type: none"> a) <html><body><% out.print(2*5); %></body></html> b) <html><body><! out.print(2*5); !></body></html> c) <html><body><% @ out.print(2*5); %></body></html> d) None of the above
<p>18. JSP Scriptlet tag can declare only variables not methods.</p> <ul style="list-style-type: none"> a) True b) False
<p>19. Which one of the not JSP life cycle method?</p> <ul style="list-style-type: none"> a) jspInit() b) _jspService() c) jspDestroy() d) jspdestroy()

20. Which action tag is used to embed applet into the jsp file.

- a) jsp:plugin
- b) jsp:action
- c) jsp:embed
- d) None of the mention