

BIO-DATA OF Prof. K. R. DESAI



1. Name : Prof. (Dr.) K. R. DESAI
M. Sc., Ph. D., D.Sc, F.I.C.,
F.E.C.S.I
A.R.S.C. (London)

Designation:- Professor Emeritus, Uka Tarsadia University ,
Bardoli, Ex-Prof & Head Department of chemistry,
South Guj. University -SURAT-Gujarat - INDIA

2. Academic Qualification

Doctor of science (Chemistry) D.Sc. 1992
Doctor of Philosophy (Chemistry) PhD 1974
Master of Science (Chemistry) M.Sc. 1969

3. Professional Position Held

Uka tarsadia University-Surat Professor Emeritus - Till date

- Uka tarsadia University-Surat : Director --- 2009-to 2019
- South Guj- University-Surat : Professor & Head(1992- 2008)
- South Guj-University-Surat : Associate Professor (1984-
- South Guj-University-Surat Assistant Professor (1976-1984)

4. Professional Experiences

Teaching & Research Experience : 50 years

No. of students guided: : Under my guidance 115 students have
Obtained Ph.D. and M. Phil degree.

(74 Ph .D and 41 M. Phil)

Research publications : 392 (Three Hundred ninety two)
National & International
publications.

Books : SIX Books, ONE book on green chemistry
Microwave reactions, two books on Industrial
plan processes & three books
Pure chemistry

Patents (Indian) : 2 (Two)

Invited speakers and chairing the Sessions
(At National & International Conferences) : 80 (last five years)

5. Honors and Award

- (a) Life Time Achievement Award from Indian Society of chemist & Biologist-ISCIB-Lucknow-2016
- (b) Life Time Achievement Award in Chemical Science by Indian council of Chemist-Agra in 2013.
- (c) Life Time Achievement Award IN Chemistry by JERAD - BHOPAL in 2011.
- (d) Emeritus professors Awarded by UGC-New Delhi-2008
- (e) Scientist of the year 2002 awarded by National Science and Environmental Academy, New Delhi.
- (f) Best research paper award during 1995-1996 of Institute of Chemist, Calcutta.
- (g) Under UGC Exchange of Teachers Program, Visited as Scientist, at University of Moscow - University of Leningrad - University of Kiev, Ukrain-1990.
- (h) Visited East Germany under U.G.C. Exchange of Teachers Programme-1987.
- (i) Visited National University of Singapore and Bangkok and attending Asian Chemical Conference of Analytical Chemistry - 1985.
- (j) Visited Doha-Qatar to attend the 2nd International conference of Hetero cyclic chemistry and its application in December 2003.
- (k) Visited Kuwait- University -Kuwait in 2005 for invited talk in International conference on Green chemistry.
- (l) Visited China Jinan University, Jinan for International conference and also give a talk at Beijing & Shanghai University in 2007 on Green chemistry
- (m) Visited Mauritius to attend the International conference of Environmental Chemistry during September-2010.
- (n) (l) Vice-President Indian Council of Chemists (Agra)
- (o) (m) Vice-president Institute of Chemists -Kolkata

6. Collaboration in research with Indian and foreign agencies

- 1) National Cancer Institute, Maryland, U.S.A.
- 2) R. W. Johnson Pharmaceutical Research Institute, New Jersey, U.S.A.
- 3) SPECS and Bios PECS, Netherlands.
- 4) E.I. DuPont, U.S.A.
- 5) Molecular Design & Discovery, Canada.
- 6) Spec-Chem Special Chemicals – manufacturers – Czechoslovakia.
- 7) E. Merck Research Laboratories, New York, U.S.A.
- 8) Ranbaxy Laboratories Ltd., New Delhi.
- 9) ASTRA Research Centre, Bangalore.

7. Life Membership / Fellowships

- Indian Association of Nuclear chemists and Allied Scientists (BARC),
- Life member of Indian Science congress Association-kolkata
- Chemical Research Society of India, Bangalore.-
- Fellow of Institute of Chemists (kolkata),
- Fellow of Electrochemical Society of India (Bangalore),
- Fellow of Indian Council of Chemists (Agra),
- Fellow of Indian Chemical Society (kolkata),
- Associateship of the Royal society of Chemistry (London)

8. Other Services

Expert Committee Members :-

- 1) For selection committee of Professors, Principals, Readers, Lectures etc.
- 2) For Scientists of CSIR affiliated Research Institutes.
- 3) Various Prestigious Science Awards of Gujarat.
- 4) Contributed as academic expert in the Board of study in the various Universities like M. S. University Baroda. Sardar Patel University Vallabh Vidhyanager, Gujarat University Ahmedabad, Saurashtra University Rajkot, Mumbai University- Mumbai, Ajmer University Ajmer
- 5) I have evaluated D. Sc and Ph.D. thesis of candidates of many Indian Universities

9. University & National level membership

- (A) University level : (1) Senate (since 1986 to2008)
(2) Board of Studies
(3) Faculty of Science
(4) Academic Council
(5) Board of University Teaching
(6) Syndicate

(B) National level

- (1) Post-doctoral Award Committee, Govt of India, Human Resource Department, New Delhi.
- (2) Technical Advisory Committee ,Department of Science and Technology, New Delhi.

- (C) As a Syndic Member on Various :**
- (1) Finance committee**
 - (2) Annual Report**
 - (3) Staff Standing**
 - (4) Parikhsha Acher Semite**
 - (5) Joint Consultative**
 - (6) Library**
 - (7) Building**

Appendix-II

**RESEARCH PAPER PUBLICATION OF Prof. (Dr.) K. R. DESAI
(D.Sc.).**

1971-2019

Year-2019

392. Performance of Up flow Anaerobic sludge blanket (UASB) past Treatment Technologies for sewage treatment in Surat city.
Nimesh V.Vashi, N.C.Shah., K.R.Desai.
Oriental J of Chemistry,(2019),35,1352-1359.
391. Recent Technologies adopted for Upgradation of existing Sewage Treatment plants and for sewage reuse and recycle in Surat, India.
Nimesh V.Vashi, N.C.Shah., K.R.Desai.
International J of Innovative Science, Engineering & Technology (2019) 6, 2348-2360.
390. Improving performance of UF operations in large scale Sewage recycle plant in Surat city- A case study.
Nimesh V.Vashi, N.C.Shah., K.R.Desai.
J.of Indian water works association (2019), LII,111-119.

Year-2014

389. Rhodanine-based biologically active molecules:synthesis, characterization, and biological evolution.
Aniruddhsinh M. Rana, kishor R.Desai, smita jauhari
Res Chem intermed (2014) 40:761-777.
- 388 Novel s-triazine accommodated 5-benzylidino-4-thiazolidinones: synthesis and in vitro biological evaluations
Anniruddhsinh M.Rana, Pooja Trivedi, Kishor R.desai, smita jauhari
Medicinal chemistry research, 2014.
387. microwave induced and conventional heterocyclic synthesis: an antimicrobial entites of newer quinazolinyl- Δ^2 -pyrazolines.
Krunal G.desai, Jiten I. Naik, Jignesh P. Raval, Kishor r. Desai.
Arabian journal of chemistry (2014) 7, 597-603.

Year-2013

386. synthesis, characterization, molecular structure and DFT studies of 4-benzylidene-2-(2-chloro-phenyl)-2,4-dihydro-pyrazol-3-one.
Urmila h. patel, sahaj A Gandhi, B.D.patel, R d Modh, R D patel, jayraj yadav, K r Desai.
Indian journal of pure&applied physics, 51,December 2013,pp.819-826.
385. Rana, A.M., Desai, K.R., Jauhari, S.
Synthesis, characterization, and pharmacological evaluation of 1-[2-(6-nitro-4-oxo-2-phenyl-4H-quinazolin-3-yl)-ethyl]-3-phenyl ureas
(2013) *Medicinal Chemistry Research*, 22 (1), pp. 225-233.
ISSN: 10542523
CODEN: MCREE
DOI: 10.1007/s00044-012-0004-3

Year -2012

384. synthesis and characterization of novel 2-[(5z)-5-benzylidene-4-oxo-2-thioxo-1,3-thiazolidine-3-yl]-N-(2-methylephenyl)acetamide based analogues
Aniruddhasinh M.Rana , Kishor R. Desai, smita jauhari.
Der pharma chemical, 2012, 4(6):2453-2459.
383. Joshi, M., Jauhari, S., Desai, K.R.
Polyurethanes as polymerizable dyes for hydrophobic polyester fabric
(2012) *Research on Chemical Intermediates*, 38 (9), pp. 2137-2148.
ISSN: 09226168
CODEN: RCINE
DOI: 10.1007/s11164-012-0532-y
Document Type: Article
Source: Scopus
382. Raval, J.P., Desai, K.G., Desai, K.R.
Microwave synthesis, characterization and antimicrobial study of new pyrazolyl-oxopropyl-quinazolin-4(3H)-one derivatives
(2012) *Journal of Saudi Chemical Society*, 16 (4), pp. 387-393. Cited 1 time.
ISSN: 13196103
DOI: 10.1016/j.jscs.2011.02.003
381. Mistry, B.D., Desai, K.R., Patel, J.A., Patel, N.I.

Conventional and microwave-assisted synthesis of pyrazole derivatives and screening of their antibacterial and antifungal activities

(2012) *Indian Journal of Chemistry - Section B Organic and Medicinal Chemistry*, 51 (5), pp. 746-751.

ISSN: 03764699

CODEN: IJSBD

Document Type: Article

Source: Scopus

380. Joshi, M., Jauhari, S., Desai, K.R.
Synthesis, Characterization and Dyeing Application of Heterocyclic Polymers in Nylon and Polyester
(2012) *Polymer - Plastics Technology and Engineering*, 51 (8), pp. 761-765.

ISSN: 03602559

DOI: 10.1080/03602559.2012.663851

Document Type: Article

Source: Scopus

379. Raval, J.P., Naik, B.N., Desai, K.R.
A convenient, rapid microwave-assisted synthesis of 2-substituted phenyl-2,3-dihydrobenzo[B][1,4]thiazepine-3-carboxamide derivatives and its antimicrobial activity
(2012) *Phosphorus, Sulfur and Silicon and the Related Elements*, 187 (2), pp. 255-267.

ISSN: 10426507

DOI: 10.1080/10426507.2011.597800

Document Type: Article

Source: Scopus

378. Joshi, M., Jauhari, S., Desai, K.R.
Studies on heterocyclic polyurea-epoxy resin condensation products
(2012) *Research on Chemical Intermediates*, 38 (1), pp. 269-281.

ISSN: 09226168

CODEN: RCINE

DOI: 10.1007/s11164-011-0346-3

Document Type: Article

Year-2011

377. Mistry, B.D., Desai, K.R., Rana, P.B.
Conventional and microwave irradiation technique for the synthesis of some pyrimidine and pyrazoline derivative

from 1-{4'-[(4"-methylpiperazinyl)-diazanyl]phenyl}-3-(substitutedphenyl)prop-2-en-1-one and studies of their antimicrobial activity

(2011) *Journal of the Indian Chemical Society*, 88 (6), pp. 869-877.

ISSN: 00194522

CODEN: JICSA

Document Type: Article

Source: Scopus

376. Mistry, B.D., Desai, K.R., Rana, P.B.

Conventional and microwave induced synthesis of various pyrimidine and isoxazole derivatives from 1-{4'-[(4"-methylpiperazinyl)diazanyl]phenyl}-3-(substitutedphenyl)prop-2-en-1-one and studies of their antimicrobial activity

(2011) *Indian Journal of Chemistry - Section B Organic and Medicinal Chemistry*, 50 (4), pp. 627-633.

ISSN: 03764699

CODEN: IJSBD

Document Type: Article

Source: Scopus

375. Mistry, B.D., Desai, K.R., Patel, N.I.

Eco-friendly microwave enhanced synthesis of pyrido[2,3-d]pyrimidine as well as pyrido[1,2-a]pyrimidine derivatives and studies of their antimicrobial activity

(2011) *Journal of the Indian Chemical Society*, 88 (3), pp. 465-472.

ISSN: 00194522

CODEN: JICSA

Document Type: Article

374. Joshi, M., Jauhari, S., Desai, K.R.

Polyureas: Synthesis and characterization

(2011) *International Journal of ChemTech Research*, 3 (1), pp. 29-32.

Cited 1 time.

ISSN: 09744290

Document Type: Article

Source: Scopus

Year-2010

373. Raval, J.P., Patel, H.V., Patel, P.S., Desai, K.R.
A convenient, rapid microwave assisted synthesis of some novel 3-[(4-chloro-3-methylphenoxy)methyl]-6-aryl-5,6-dihydro-[1,2,4]triazolo[3,4-b][1,3,4]thiadiazoles using acidic alumina (2010) *Journal of Saudi Chemical Society*, 14 (4), pp. 417-421. Cited 3 times.
ISSN: 13196103
DOI: 10.1016/j.jscs.2010.05.005
Document Type: Article
Source: Scopus
372. Rana, P.B., Patel, J.A., Mistry, B.D., Desai, K.R.
Synthesis of various pharma based pyrido[2,3-d]pyrimidine as well as pyrido[1,2-a]pyrimidine and their antimicrobial activities (2010) *Journal of the Indian Chemical Society*, 87 (3), pp. 365-372. Cited 1 time.
ISSN: 00194522
CODEN: JICSA
Document Type: Article
Source: Scopus

Year-2009

371. A rapid convenient microwave assisted and conventional synthesis of novel azetidin-2-one derivatives as potent antimicrobial agents
Jignesh p Raval, hemul v Patel, Pradip s. Patel, Nilesh H.patel and kishor R.Desai.
Asian journal of research chem. 2(2):april-june., 2009.
370. Raval, J.P., Desai, K.R.
A comparative study of microwave-assisted and conventional synthesis of novel 2-(4-diethylamino-2-hydroxyphenyl)-3-substituted-thiazolidin-4-one derivatives (2009) *Chemija*, 20 (2), pp. 101-108. Cited 5 times.
ISSN: 02357216
Document Type: Article
Source: Scopus

369. Rana, P.B., Patel, J.A., Mistry, B.D., Desai, K.R.
Microwave and conventional techniques for the synthesis of a series of pyrazolo [5,4-d]-pyrimidine derivatives and their antimicrobial screening
(2009) *Indian Journal of Chemistry - Section B Organic and Medicinal Chemistry*, 48 (11), pp. 1601-1608. Cited 2 times.
ISSN: 03764699
CODEN: IJSBD
Document Type: Article
Source: Scopus
368. Mistry, B.D., Desai, K.R., Rana, B.P.
Conventional and microwave induced synthesis of various azetidinone derivatives from 3-{[(1E)-2-chloro-7'-methoxyquinoline-primethylene] amino}-4-(substitutedphenyldiazenyl) phenols and their antimicrobial screening
(2009) *Indian Journal of Heterocyclic Chemistry*, 19 (2), pp. 157-162. Cited 1 time.
ISSN: 09711627
Document Type: Article
Source: Scopus
367. Patel, H.D., Mistry, B.D., Desai, K.R.
Synthesis and antimicrobial studies of 4-oxo-thiazolidine derivatives
(2009) *Journal of the Indian Chemical Society*, 86 (3), pp. 287-292.
ISSN: 00194522
CODEN: JICSA
Document Type: Article

YEAR-2008

366. Maroliwala, J.A., Naik, B., Desai, K.R.
Ecofriendly microwave enhanced synthesis of imidazole derivatives containing coumarin moiety & their antimicrobial activity
(2008) *Indian Journal of Heterocyclic Chemistry*, 17 (4), pp. 363-364. Cited 1 time.
ISSN: 09711627
Document Type: Article
Source: Scopus

365. Desai, J.T., Desai, C.K., Desai, K.R.
A convenient, rapid and eco-friendly synthesis of isoxazoline heterocyclic moiety containing bridge at 2°-amine as potential pharmacological agent
(2008) *Journal of the Iranian Chemical Society*, 5 (1), pp. 67-73. Cited 10 times.
ISSN: 1735207X
Document Type: Article
Source: Scopus
364. Lokhandwala, S.R., Desai, K.R.
Synthesis and antimicrobial activity of substituted phenophosphazines
(2008) *Phosphorus, Sulfur and Silicon and the Related Elements*, 183 (11), pp. 2678-2684.
ISSN: 10426507
DOI: 10.1080/10426500801968144
Document Type: Article
Source: Scopus
363. Patel, J.A., Mistry, B.D., Desai, K.R.
Conventional and microwave induced synthesis of various azetidinone and thiazolidinone derivatives from 3-[(1E)-1-aza-2-(2-chloro-7-methoxy-3-quinolyl) vinyl]-4-(aryldiazenyl) phenol and their antimicrobial screening
(2008) *Indian Journal of Chemistry - Section B Organic and Medicinal Chemistry*, 47 (11), pp. 1695-1700. Cited 1 time.
ISSN: 03764699
CODEN: IJSBD
Document Type: Article
Source: Scopus
362. Rana, P.B., Mistry, B.D., Desai, K.R.
Green chemistry: Conventional and microwave induced synthesis of various thiazolidinone derivatives from 3-{{[(1E)-(2'-chloro-7'- methoxyquinoline-3'-yl)methylene]amino}-4-(substitutedphenyldiazenyl) phenol and their antimicrobial screening
(2008) *Arkivoc*, 2008 (15), pp. 262-279. Cited 2 times.
ISSN: 15517004
Document Type: Article
Source: Scopus

361. Raval, J.P., Desai, J.T., Desai, C.K., Desai, K.R.
A comparative study of microwave assisted and conventional synthesis of
2,3-dihydro-2-aryl-4-[4-(2-oxo-2Hchromen-
3-yl)-1,3-thiazol-2-ylamino]-1, 5-benzothiazepines and its antimicrobial
activity
(2008) *Arkivoc*, 2008 (12), pp. 233-244. Cited 9 times.
ISSN: 15517004
Document Type: Article
Source: Scopus
360. Lokhandwala, S.R., Desai, K.R.
Novel organophosphorus compounds as potential antimicrobial agents
(2008) *Phosphorus, Sulfur and Silicon and the Related Elements*, 183 (5),
pp. 1264-1271. Cited 5 times.
ISSN: 10426507
DOI: 10.1080/10426500701640827
Document Type: Article
Source: Scopus

YEAR-2007

359. Microwave enhanced heterocyclization: A convenient procedure for
antimicrobial 1,5-benzothiazepine compounds
Indian Journal of Chemistry (Sec-B), 2007, 46B,1179-1186
Krunal Desai and K R DESAI

YEAR-2006

358. Microbial screening of novel synthesized formazans having amide
linkages.
Journal of Heterocyclic Chemistry (U. S. A.), 2006, 43, 1084.
Krunal G. Desai and Kishor R. Desai
357. Novel approach for heterocyclization: A clean and efficient synthesis and
biological evaluation of 4-oxothiazolidines under microwave technique.
Journal of Saudi Chemical Society (SAUDI ARABIA), 2006, 9(3), 631-
640.
Krunal G. Desai and Kishor R. Desai
356. Esterification and hydrolysis under microwave irradiation,
Molbank (www.mdpi.org/molbank) (SWITZERLAND), March-2006,
M475 (Mol File: [m477.mol](#)).

Krunal G. Desai and Kishor R. Desai

355. Microwave assisted esterification using $\text{Fe}_2(\text{SO}_4)_2 \cdot 4\text{H}_2\text{O}$ /Concentrated H_2SO_4 as efficient catalyst. Molbank (www.mdpi.org/molbank) (SWITZERLAND), March-2006, M475 (Mol File: [m478.mol](#)).
Krunal G. Desai, Kishor R. Desai and D. Padmanabhan
354. Naik, B., Desai, K.R.
Novel approach for the rapid and efficient synthesis of heterocyclic Schiff bases and azetidinones under microwave irradiation
(2006) *Indian Journal of Chemistry - Section B Organic and Medicinal Chemistry*, 45 (1), pp. 267-271. Cited 14 times.
ISSN: 03764699
CODEN: IJSBD
Document Type: Article
Source: Scopus
353. Desai, K.G., Desai, K.R.
Green route for the heterocyclization of 2-mercaptobenzimidazole into β -lactum segment derivatives containing -CONH- bridge with benzimidazole: Screening in vitro antimicrobial activity with various microorganisms
(2006) *Bioorganic and Medicinal Chemistry*, 14 (24), pp. 8271-8279.
Cited 49 times.
ISSN: 09680896
CODEN: BMECE
DOI: 10.1016/j.bmc.2006.09.017
Document Type: Article
Source: Scopus
352. Patel, J.A., Mistry, B.D., Desai, K.R.
Synthesis of some novel 4-thiazolidinone compounds and their application as potential antimicrobial agent
(2006) *Journal of the Indian Chemical Society*, 83 (10), pp. 1041-1043.
Cited 3 times.
ISSN: 00194522
CODEN: JICSA
Document Type: Article
Source: Scopus

351. Desai, K.G., Raval, J.P., Desai, K.R.
Neat reaction technology for the synthesis of 4-oxo-thiazolidines derived from 2-SH-benzothiazole and antimicrobial screening of some synthesized 4-thiazolidinones (2006) *Journal of the Iranian Chemical Society*, 3 (3), pp. 233-241. Cited 16 times.
ISSN: 1735207X
Document Type: Article
Source: Scopus
350. Desai, K., Desai, K.
A facile microwave enhanced synthesis of sulfur-containing 5-membered heterocycles derived from 2-mercaptobenzothiazole over ZnCl₂/DMF and antimicrobial activity evaluation (2006) *Journal of Sulfur Chemistry*, 27 (4), pp. 315-328. Cited 15 times.
ISSN: 17415993
DOI: 10.1080/17415990600786409
Document Type: Article
Source: Scopus
349. Desai, K.G., Desai, K.R.
Microbial screening of novel synthesized formazans having amide linkages (2006) *Journal of Heterocyclic Chemistry*, 43 (4), pp. 1083-1089. Cited 6 times.
ISSN: 0022152X
CODEN: JHTCA
DOI: 10.1002/jhet.5570430440
Document Type: Article
Source: Scopus
348. Patel, R.B., Desai, K.R., Chikhaliya, K.H.
Synthesis and studies of novel homoveratryl based thiohydantoins as antibacterial as well as anti-HIV agents (2006) *Indian Journal of Chemistry - Section B Organic and Medicinal Chemistry*, 45 (7), pp. 1716-1721. Cited 5 times.
ISSN: 03764699
CODEN: IJSBD
Document Type: Article
Source: Scopus

347. Mistry, K., Desai, K.R.
Microwave assisted rapid and efficient synthesis of nitrogen and sulphur containing heterocyclic compounds and their pharmacological evaluation
(2006) *Indian Journal of Chemistry - Section B Organic and Medicinal Chemistry*, 45 (7), pp. 1762-1766. Cited 23 times.
ISSN: 03764699
CODEN: IJSBD
Document Type: Article
Source: Scopus
346. Patel, R.B., Desai, P.S., Desai, K.R., Chikhaliya, K.H.
Synthesis of pyrimidine based thiazolidinones and azetidinones: Antimicrobial and antitubercular agents
(2006) *Indian Journal of Chemistry - Section B Organic and Medicinal Chemistry*, 45 (3), pp. 773-778. Cited 29 times.
ISSN: 03764699
CODEN: IJSBD
Document Type: Article
Source: Scopus
345. Patel, K.D., Mistry, B.D., Desai, K.R.
Synthesis and antimicrobial activity of 2-aryl-3-[3'-(2''4'',6''-trichlorophenoxy)methyl)-5'-mercapto-1', 2',4'-triazol-4'-yl]-5-substituted-4-thiazolidinones
(2006) *Journal of the Indian Chemical Society*, 83 (1), pp. 94-96. Cited 3 times.
ISSN: 00194522
CODEN: JICSA
Document Type: Article

YEAR-2005

344. Synthesis of some New Quinazoline derivatives and evolution of their antimicrobial activity.
Indian Journal of Heterocyclic Chemistry (Sec-B), 2005, 15,1693.
K. R. Desai and V . M. Patel
343. Clean and efficient microwave solvent free synthesis of some antimicrobial compounds from 2-aminothiadiazine.
Indian Journal of Chemistry (Sec-B), 2005, 44B, 2158-2162.
K. R. Desai and V . M. Patel

342. Rapid and efficient synthesis of some biological active 2-azetidinones under microwave irradiation.
Indian Journal of Chemistry (Sec-B), 2005, 44B, 2093-2096.
K. R. Desai and Krunal G. Desai
341. Synthesis of some novel pharmacologically active Schiffbases using microwave method and their derivatives formazans by conventional method.
Indian Journal of Chemistry (Sec-B), 2005, 44B, 2097-2101.
K. R. Desai and Krunal G. Desai
340. Synthesis and application of new acid dyes.
Chemistry an Indian journal, 2005, 2(9),312-315.
Milind S. Desai ,Darshan shah, Kishor R. Desai
339. Microwave Assisted Rapid and Efficient Synthesis & Pharmacological evaluation of 1,5-benzothiazepine.
Journal of Saudi Chemical Society, 2005, 9(2), 381-386
K. R. Desai and K. M. Mistry
338. Microwave Assisted Rapid Heterocyclization: Synthesis and Antimicrobial Screening of 4-(3H)-Quinazolone containing Schiff Base and Azetidinone by Niementowski reaction.
Chemistry: An Indian Journal, 2005, 2(5)
K. R. Desai and A. R. Desai
337. Synthesis and Characterization of Novel Colored Polyurethanes.
International Journal of Polymeric materials, 2005, 54, 519-526
K. R. Desai, M. G. Patel and H. S. Patel
336. Synthesis of pyrazolo imines and azetidinone compounds using conventional and microwave technique and studies of their antibacterial activity.
Indian Journal of Chemistry, 44B, 2005, 1452-1455
K R Desai & Ketan Mistry
335. Synthesis and characterization of colored poly(urethane-urea)
International Journal of polymeric material, 2005, 54, 775-782
K. R. Desai, M. G. Patel and H. S. Patel
334. Synthesis and characterization of colored Polyureas.
International Journal of polymeric material, 2005, 54, 767-773.

K. R. Desai, M. G. Patel and H. S. Patel

333. Studies on Synthesis of Some New Chalcone and Pyrimidines and their Antibacterial Activity.
E-Journal of Chemistry, 2005, 2(7), 152-156.
K. R. Desai and K. M. Mistry.
332. Microwave Assisted Synthesis of New Quinazolinones and their pharmacological Evaluation.
Chemistry: An Indian Journal. 2005, 2(2), 47-51.
K. R. Desai and K. M. Mistry.
331. Microwave-induced synthesis of fluorine containing 1,5-disubstituted hydantoins and thiohydantions and their antibacterial activity
Indian J. Chem. 2005, 44B, 1084-1087.
K. R. Desai and V. M. Patel.
330. Synthesis and antimicrobial activity of new triazolopyridinyl phenothiazines.
ARKIVOC, 2005, (Xiii), 21-28.
K. R. Desai and J. P. Raval.
329. Niementowski Reaction: microwave induced and conventional synthesis of quinazolinones and 3-methyl-1H-5-pyrazolones and their antimicrobial activity.
ARKIVOC, 2005, (Xiii), 98-108.
K. R. Desai and A. R. Desai.
328. Heterocyclic Synthesis: A Convenient Route to some 2-Mercepto 1,3,4-Oxadiazole and Green Chemistry Microwave-Induced One-Pot Synthesis of 2-Aryl 1,3,4-Oxadiazole in Quinazolone and their antibacterial and antifungal activity.
J. Heterocyclic Chemistry, 2005, 42, 995-999.
K. R. Desai and A. R. Desai.
327. Synthesis and antimicrobial Screening of Quinazolone containing Novel Heterocyclic Schiff Base and Azetidinone by Niementowski reaction.
E-Journal of Chemistry, 2005, 2(7), 101-108.
K. R. Desai, A. R. Desai and R. U. Roy.
326. Synthesis and Antimicrobial Activity of 1,2,4-Triazoles
E-Journal of Chemistry, 2005, 06, 1-5.
K. R. Desai, R. U. Roy and A. R. Desai

325. Studies on synthesis of Some Novel Heterocyclic Chalcone, Pyrazoline, Pyrimidine-2-one, Pyrimidine-2-thione, *p*-Acetanilide Sulphonyl and Benzoyl Derivatives and their Antimicrobial Activity.
E-Journal of Chemistry, 2005, 06, 30-41.
324. Studies on synthesis of Some Novel Heterocyclic Azlactone Derivatives and Imidazolinone Derivatives and their Antimicrobial Activity.
E-Journal of Chemistry, 2005, 06, 42-51.
K. R. Desai and R. N. Mistry
323. synthesis of some new quinazoline derivatives and their antimicrobial activities
Thakar,A.H., Desai,K.R.
(2005) Indian journal of heterocyclic chemistry, 15(1),pp.93-94.
322. El sayed, O.A., El-Bieh, F.M., El-Aqeel, S.I., Al-Bassm, B.A., Hussein,M.E.,Roy,R.U.,Desai K.R.
Synthesis of 2,4-disubstituted pyrimido [4,5-b] quinolines as potential antimicrobial agent.
(2005)Indian journal of heterocyclic chemistry, 14(4), pp. 327-330.cited 5 times

YEAR-2004

321. Microwave assisted Heterocyclization: A Rapid and Efficient Synthesis and antibacterial activity of Novel Thiazolidinones.
E-journal of Chemistry, 2004, 05, 263-266.
K. R. Desai and B. D. Naik
320. Synthesis and characterization of Colored Polyureas.
E-Journal of Chemistry, 2004, 01, 51-56.
K. R. Desai, M. G. Patel and H. S. Patel
319. Synthesis of some Heterocyclic Schiff Base and Azetidinone Compounds and their antibacterial activity.
Asian J. of Chem., 2004, 16 (3-4), 1749-1752.
K. R. Desai and B. D. Naik
318. Synthesis of Azoles and Diazine under microwave irradiation.
Indian J. of Heterocyclic Chem., 2004, 13(3), 283-284; *Chem. Abst.* 2004, 28, 141:54299.
K. R. Desai and V. M. Patel.

317. Ecofriendly synthesis of Pyrazoline derivatives over Potassium carbonate. ARKIVOC (USA), 2004, 1, 123-129.
K. R. Desai and V. M. Patel.
316. Synthesis of Novel Heterocyclic 4-Thiazolidinone derivatives and their Antibacterial activity.
E-Journal of Chem., 2004, 4, 189-193
K. R. Desai and K. M. Mistry
315. Synthesis of Formazan Derivatives as antimicrobial agents.
J. of Veer Narmad S. G. Uni, 2004, II-B, 10-15.
K. R. Desai., A. D. Desai and K. H. Chikhalia
314. Novel approach for the rapid synthesis of azoles & Diazines under Microwave Irradiation
J. Saudi Chem. Soc. 2004, 8 (2), 317-320.
K. R. Desai., M. G. Patel and V. M. Patel
313. Synthesis and properties of various Eco-friendly Aromatic etherial based reactive dyes.
Arabian J. of Science and Eng. 2004, 29, 3 to 9
K. R. Desai and C. K. Desai
312. Synthesis and characterization of colored poly urethanes
J. Saudi chem. Soc. 2004, 8, 125-130
K. R. Desai, M. G. patel and H. S. Patel
311. Microwave studies on synthesis of some new heterocyclic chalcone and pyrimidine 2-thione derivatives and their antibacterial activity.
Asian J. of Chemistry, 2004, 16, No.1, 201-206.
K. R. Desai and R. N. Mistry
310. Microwave assisted heterocyclization: - A rapid and efficient synthesis of 1, 5 benzodiazepines.
Indian J. of Chemistry, 2004, 43B, 199-201; *Chem. Abst.* 2004, 28, 140:303649
K. R. Desai and V. M. Patel
309. Polyimides based on poly C2-furamethanol-formaldehydes J. Advances in Polymer Technology U.S.A 2004, 23, 176-180. *Chem. Abst.* 2004, 28, 140:288066.
K. R. Desai., K. S. Patel, K. H. Chikhalia and H. S. Patel

308. patel,K.D., mistry,B.D., Desai,K.R.
Synthesis and biological screening of new 2-azetidinones and 4-thiazolidinones
(2004) journal of the Indian chemical society, 81 (9), pp.783-785. Cited 7 times
307. patel M.G., Desai,K.R., patel,H.S.
Synthesis and characteriation of novel poly (ester amide) containing benzthiazole heterocyclic ring
(2004) heterocyclic communications, 10 (2-3),pp.203-208 .
306. Synthesis and antibacterial activity of chalcone and 2-amino pyrimidine and their related compound.
Asian Journal of Chemistry, 2003, 15(2), 650-654; *Chem. Abst.* 2004, 28, 139:133523.
K. R. Desai and N. J. Desai.

YEAR-2003

305. Synthesis and antimicrobial activity of 4-aryl-1-[3'-2",4",6"-trichlorophenoxyethyl]-5'-mercapto-1',2',4'-triazol-4'-yl-3-chloro-2-azetidinones.
Oriental Journal of Chemistry, 2003, 19(1), 245-246; *Chem. Abst.* 2003, 28, 139:395863.
K. R. Desai, B. D. Mistry and K. R. Desai.
304. Synthesis and antimicrobial activity of pyrazolo [3, 4-b] pyridine derivatives.
Indian Journal of Heterocyclic Chemistry, 2003, 13(2), 177-178;
Chem. Abst. 2004, 28, 140:270775.
K. R. Desai, B. D. Mistry and H. D. Patel
303. Synthesis and antimicrobial activity of pyrazolo [3,4-d] pyrimidines.
Indian Journal of Heterocyclic Chemistry, 2003, 13(2), 179-180;
Chem. Abst. 2004, 28, 140:270808.
K. R. Desai, B. D. Mistry and H. D. Patel
302. Synthesis and antimicrobial activity of pyrano [2,3-c] pyrazole derivatives.

- Oriental Journal of Chemistry, 2003, 19(2), 497-498; *Chem. Abst.* 2004, 28, 140:287312.
K. R. Desai, B. D. Mistry and H. D. Patel
301. Synthesis and antimicrobial activity of imidazolylquinazoline.
Oriental Journal of Chemistry, 2003, 19(2), 393-398; *Chem. Abst.* 2004, 28, 140:287346.
K. R. Desai, B. D. Mistry and H. D. Patel
300. Synthesis of New Heterocyclic Pyrazoline and Isooxazoline compounds and their antibacterial activity.
Chemistry: An Indian Journal, 2003, 1, 38-41; *Chem. Abst.* 2004, 28, 140:375103.
K. R. Desai, A. R. Desai and K. H. Mehta.
299. Synthesis of New Heterocyclic Thiazolidinone and Azetidinone compounds and their antibacterial activity.
Asian Journal of Chemistry 2003, 15, 459-465; *Chem. Abst.* 2003, 28, 138:338041.
K. R. Desai and K. H. Mehta.
298. Synthesis and biological activity of some 2, 4, 6-trisubstituted 1, 3, 5-s-Triazine.
J. Indian Chem. Soc., 2003, 80, 138-140; *Chem. Abst.* 2004, 28, 139:133536.
K. R. Desai, R. B. Patel, P. S. Desai and K. H. Chikhalia.
297. Synthesis and antibacterial activity of pyrimidine-2-thiones and acetylpyrimidine-2-thioles.
Asian J. of chemistry, 2003, 15, 91-94; *Chem. Abst.* 2003, 28, 138:321226.
K. R. Desai and P. V. Patel

YEAR-2002

296. Synthesis and antimicrobial activity of some 4-thiazolidinones.
Journal of the Institution of Chemists, 2002, 74(4), 122-125; *Chem. Abst.* 2003, 28, 139:6794.
K. R. Desai, K. D. Patel and B. D. Mistry
295. Synthesis and antimicrobial activity of 4-oxo thiazolidinones.
Indian J. of Heterocyclic Chemistry, 2002, 11(3), 233-236;
Chem. Abst. 2003, 28, 137:232583.

K. R. Desai, H. D. Patel, B. D. Mistry.

294. Synthesis of new Heterocyclic Di-bromo Chalcone and Quinoxaline compounds and their antibacterial activity.
Oriental Journal of Chemistry 2002, 18(3), 539-542;
Chem. Abst. 2004, 28, 140:128375.
K.R.Desai and K.H.Mehta.
293. Synthesis of 2-methyl - 5 - nitro - N - (4'-aryl-1", 5"-benzothiazepines phenyl) Benzene sulphonamide by the reaction of 2-methyl-5-nitrobenzene Sulphonamide Chalcones with 2-aminothiophenol.
Oriental J. of Chemistry, 2002, 18(2), 299-302;
Chem. Abst. 2003, 28, 138:255209.
K. R. Desai and P. V. Patel
292. Synthesis of new heterocyclic thiazolidinone and azetidinone compounds and their antibacterial activity.
Bulletin of Pure and Applied Sciences, 2002, 21(c), 75-81.
K. R. Desai and P. V. Patel.
291. Synthesis of new heterocyclic thiazolidinone and azetidinone compounds and their antibacterial activity.
Oriental Journal of Chemistry, 2002, 18(2), 311-314;
Chem. Abst. 2003, 28, 138:287575.
K. R. Desai and P. V. Patel
290. Synthesis and antimicrobial activity of 1, 2, 4-triazoles.
J. Indian Chem. Soc., 2002, 79, 94-95;
Chem. Abst. 2003, 28, 138:368821.
K. R. Desai, K. D. Patel and B. D. Mistry

YEAR-2001

289. Preparation of 2,5-disubstituted 1,3,4-thiadiazoles and their biological screening.
Journal of the Institution of Chemists, 2001, 73(3), 108-110;
Chem. Abst. 2003, 28, 137:63206.
K. R. Desai, K. D. Patel and B. D. Mistry.
288. Copper based metal complex reactive azo dyes.
Journal of the Institution of Chemists, 2001, 73(4), 152-153;
Chem. Abst. 2003, 41, 136:387409.
K. R. Desai, N. J. Mali and B. D. Mistry

287. Synthesis of some Schiff Base, Thiazolidinone and azetidinone derived from 2- 6-diamino benzo [1, 2-d: 4, 5-d]-Bisthiazole and their anticancer activities.
J. of Heterocyclic communications (U. K), 2001, 7, 83-90.
K. R. Desai, S. B. Desai, P. B. Desai.
286. Synthesis of Azo dyes based on α -Naphthol-formaldehyde oligomer and their application on textile fibers.
J. of Iranian Polymer. 2001, 10 No. 1, 15-20.
K. R. Desai, A. P. Naik, H. S. Patel.
285. Synthesis and biological activity of some Oxoimidazoline and Oxadiazoles.
Indian J. of Heterocyclic Chemistry, 2001, 11(1), 63-66;
Chem. Abst. 2003, 28, 136:232246.
K. R. Desai, K. D. Patel and B. D. Mistry

YEAR-2000

284. Synthesis of Disperse azo dyes based on ethereal based system and their application on polyester fiber.
Oriental J. of Chemistry, 2000, 16, 181-182.
K. R. Desai, C. K. Desai, R. D. Naik.
283. Synthesis of disperse azo based on benzoxzole based system and their application on polyester fiber.
Oriental J. of Chemistry, 2000, 16, 163-164.
K. R. Desai, C. K. Desai, R. D. Naik.
282. Synthesis of monochlorotriazine reactive dyes from 1-Naphtol-7-amino-3-sulphonic acid and their application.
Oriental J. of Chemistry, 2000, 16, 159-160.
K. R. Desai, C. K. Desai, R. D. Naik.
281. Synthesis and antimicrobial activity of some 4-thiazolidinones.
Oriental J. of Chemistry, 2000, 16, 171-172.
K. R. Desai, K. D. Patel, B. D. Mistry.
280. DASDSA based polyazo acid dyes and their application.
Oriental J. of Chemistry, 2000, 16, 185-186.
K. R. Desai, N. J. Mali, B. D. Mistry.

279. Synthesis and antibacterial activity of 2-pyrazolines and their related compounds.
Asian J. of Chemistry, 2000, 12, 609-11.
K.R. Desai and J. M. Panchal.
278. Disperse dyes: Synthesis of 2, 4'-dichloro diphenyl ether-4-(aryl azo)-dyes and their application to polyester fabrics.
Ibid, 2000, 12, 603-65.
K. R. Desai and C. K. Desai.
277. 2-Aryl azo benzothiazole resorcinol formaldehyde oligomer dyes.
Intern. J. Polymer Mater., U.S.A., 2000, 47, 379-85.
K. R. Desai, A. P. Naik and H.S. Patel.
276. Synthesis of Bifunctional Reactive dyes using various Benzthiazole and their dyeing properties.
Oriental J. of Chemistry, 2000, 16(2), 311-314.
C. K. Desai and K. R. Desai.
275. Azo dyes based on resorcinol-formaldehyde oligomer.
Iranian Polymer J. (IRAN), 2000, 90, 105-110.
K. R. Desai, C.K. Desai and A. P. Naik.
274. Ethereal base azo-2-naphthol-furfuraldehyde oligomer dyes.
Iranian Polymer J. (IRAN), 2000, 9, 177-181.
K. R. Desai and C. K. Desai.
273. Azo dyes based on 2-naphthol-formaldehyde oligomer.
J. High Perform. Polym. 2000, 12, 315-322.
K. D. Patel and K. R. Desai
272. Synthesis and antimicrobial activity of 4-Aryl-1-n-(2, 4, 6-tri Chloro-Phenoxyacetamido)-3-Chloro-2-Azetidinones.
Proc .Nat. Acad. Sci .India. 2000, 70(A), 243-247; *Chem. Abst.* 2003, 27, 136:200058.
K.R.Desai, K.D.Patel and B.D.Mistry.
271. Desai, P., Chmpneri, A.C., Desai,K.R
Synthesis and antibacterial activity of some coumarine compounds
(2000) asian journal of chemistry, 12(4), pp. 1327-1329 cited 2 times.
270. Desai, P., Chapaneri,A.C,. Desai,K.R.
Synthesis and antibacterial activity of some sulphanilamide compounds.

2000, Asian journal of Chemistry, 12 (4), pp.1320-1322.

269. Desai, P., Chapaneri, A.C., Desai, K.R.
Synthesis and antibacterial activity of some benzothiazole derivatives of S-triazine
2000, Asian journal of Chemistry, 12(1), pp. 308-310. Cited 3 times.

YEAR – 1999

268. Synthesis of some new 4-aryl-1(p-dichloro phenoxy phenyl)-3-chloro-2-azetidinones and their antibacterial, insecticide and herbicide activity.
Oriental J. of Chemistry, 1999, 15(3), 553-555.
K. R. Desai and J. D. Naik.
267. Studies on synthesis of reactive azo based on quinazoline and their application on various textile fibres.
Oriental J. of Chemistry, 1999, 15, 201-202.
K. R. Desai, J. N. Shukla, V. A. Desai
266. Poly (Urethane-Urea) s – part-V
International J. of Polymeric Material, 1999, 41, 126.
K. R. Desai, K. B. Patel, H. S. Patel
265. Synthesis and Dyeing performance and computerized color matching studies of mixed bifunctional reactive dyes on knitted cotton fabrics.
Oriental J. of Chemistry, 1999, 15, 153-156.
K. R. Desai and S. V. Modi.
264. Synthesis of some new heterocyclic compounds and their insecticidal and herbicidal activity.
Oriental J. of Chemistry, 1999, 15, 499-504.
K. R. Desai, S. B. Desai, P. B. Desai.
263. Synthesis and antibacterial activity of some carbamoyl phenoxy derivatives of s-triazine.
Asian J. of Chemistry, 1999, 11, 658-660.
K. R. Desai, Pratibha Desai and A. C. Champaneri.
262. Synthesis and antimicrobial activity of thiazole derivatives.
Ibid., 1999, 11, 65-70.
N. H. Bhavsar, K. R. Desai and B. D. Mistry.

261. Synthesis of 4, 4'-diamino sulphanilimide based on bi- and polyfunctional reactive dyes and their dyeing properties.
J. Chemtracks, 1999, 1, 67-69.
K. R. Desai and S. V. Modi.
260. Synthesis of some thiazolidinone and azetidinone compounds and their antimicrobial activity.
Asian J. of Chem., 1999, 11, 1431.
K. R. Desai, S. B. Desai and P. B. Desai.
259. Synthesis of monoazo reactive dyes based on 2-(3'-chlorostyryl)-6-amino-4-oxo-quinazolene system and their application on various fibres.
Ibid., 1999, 11, 1423.
K. R. Desai, J. Shukla and V. A. Desai.
258. Synthesis of new heterocyclic thiazolidinone and azetidinone compounds and their anticancer activity.
J. Heterocyclic Communication, 1999, 5, 385-390.
K. R. Desai, S. B. Desai and P. B. Desai.
257. Azo dyes based on naphtholic Oligomers.
J. of Die Angewandte Macromoleculare Chemie, 1999.
K. R. Desai, A. P. Desai and H. S. Patel.
256. Synthesis and dyeing performance of monochlorotriazine reactive azo dyes based on resorcinol.
J. Bull. of Pure and Appl. Sci., 1999, 18c, 13-15.
K. R. Desai, N. J. Mali and B. D. Mistry.

YEAR-1998

255. Synthesis of azodisperse dyes with 2-amino-5-phenyl-1, 3, 4-thiadizole moiety for dyeing polyester fibres.
Indian J. of Fiber textile research, 1998, 23, 185-188.
K. R. Desai and T. R. Desai.
254. Synthesis and antimicrobial activity of 2-(4'-dibromoanilino)-4-(Benzamido-2'-yl- oxy)-6'-(aryl-thioureido)-s-triazines.
Proc. Nat. Acad. Sci., 1998, 68, 295-297.
K. R. Desai K. D. Patel, B. D, Mistry

253. Synthesis and antimicrobial activity of 2-(6'-methoxy benzothiazole – 2'-yl-amino)-4, 6-Bis-(Arylureido)-s-triazines.
Oriental J. of Chemistry, 1998, 14, 153-154.
K. R. Desai, K. D. Patel, B. D. Mistry.
252. Synthesis of 2-(phenyl thioureido)-4-(2', 7'-dimethyl-4'-quinoloxo)-6-aryl amino thiourea derivatives.
J. Proc. Nat. Acad. Sci., 1998, 68(A), 41-44.
K. R. Desai and K. H. Chikhalia.
251. Studies and synthesis of 1-aryl-3-(3', 4', 5'-trimethoxyphenyl)-5-(3''-nitroaryoyl)-Formazan derivatives.
J. Institute of Chemist, 1998, 70(4), 144.
K. R. Desai and K. H. Chikhalia.
250. Heterocyclic azo dyes: Synthesis of styryl pyrazolone azo dyes and their application on various textile fibres as acid dyes.
Oriental J. of Chemists, 1998, 14(1), 161-62.
K. R. Desai and R. D. Naik.
249. Styryl heterocyclic azo dyes: 1-(4'-sulphophenyl)-3-(2''-hydroxy styryl)-4-various azo-5-pyrazolone acid dyes for textile fibre.
Ibid., 1998, 70, 88.
K. R. Desai and R. D. Naik.
248. 2-Chloro-4-(2'-amido-4',4''-dichloro diphenyl ether-2''-sulphonic acid)-6-(1''-naphthol-2''-arylazo-4''-yl)-s-triazine.
J. Inst. of Chemists, 1998, 70, 90.
K. R. Desai and R. D. Naik.
247. Heterocyclic bifunctional reactive azo dyes derived from o-dianisidine.
Ibid., 1998, 70, 103.
K. R. Desai, B. D. Mistry and N. J. Mali.
246. Synthesis of disperse azo dyes based on schiff base system and their application on polyester fibre.
Oriental J. of Chemistry, 1998, 14(2), 353-54.
K. R. Desai and R. D. Naik.
245. Synthesis of 3-methyl-4-[N-(o-methoxy phenyl)-N-(triazinyl amino)-benzo coumarin derivatives and their fluorescent properties.
J. Chemtracs., 1998, 1, 36.
K. R. Desai and A. H. Patel.

244. Studies and synthesis of 2-[4'-methylcoumarinyl-7-oxy]-4-[2'-methoxy anilino]-6-[aryl ureido]-s-triazine.
J. Inst. of Chemist, 1998, 70, 119.
K. R. Desai and K. H. Chikhalia.
243. Synthesis of 2-[spiro-(1'-phenyl-3'-styryl)-pyrazolo]-3-thiazole-4-thiazolidinone derivatives.
J. Inst. of Chemist, 1998, 70, 119.
K. R. Desai and K. H. Chikhalia.
242. Heterocyclic monoazo dyes derived from 2-amino-4-phenyl thiazole.
Ibid., 1998, 70, 144.
K. R. Desai and K. H. Chikhalia.
241. Studies and synthesis of 1-aryl-3-(3',4',5'-trimethoxy phenyl)-5-(3''-nitro aryl)-formazon derivatives.
Ibid., 1998, 70, 144.
K. R. Desai and A. H. Patel.
240. Synthesis of 2-methyl-3-(4'-arylaazo-6'-chlorophenyl)-4-oxoquinazolene derivatives and their applications.
J. Acta. Ciencia Indica, 1998, 24, 5.
K. R. Desai and A. H. Patel.
239. Preparation of 2-anilino-4-(phenyl thioureido)-6-(amino acetyl substituted aryl thioureido)-s-triazine and study of their antibacterial activity.
Ibid., 1998, 24, 11.
K. R. Desai and K. H. Chikhalia.
238. Substituted triazine and coumarin derivatives as potential antimicrobial agents.
Oriental Journal of Chemistry, 1998, 14(3), 475.
N. H. Bhavsar, B. D. Mistry and K. R. Desai.
237. Synthesis and application of some azo disperse dyes synthesized from 2-amino-6-chloro benzothiazole on polymer fabrics.
J. Indian Council of Chemists, 1998, 15, 67-70.
K. R. Desai and A. H. Patel.
236. Synthesis of disperse azo dyes from 2-[benzoyl thioureido]-4-phenyl-5-[aryl azo]-thiazole and application of polyester fibre.

J. Bull. of Pure and Appl. Sci., 1998, 17c, 85-87.

K. R. Desai and K. H. Chikhalia.

235. Synthesis and dyeing comparison of dibromo and dicyano azo disperse dyes.

J. American Dyestuff Reporter (USA), 1998, 87(3), 20-25.

K. R. Desai and T. R. Desai.

YEAR: 1997

234. Synthesis and dyeing performance of new bifunctional reactive azo dyes derived from 2-Chloro-4-[4''-(β -sulphoethyl)-sulphonyl-2-methoxy aniline-6-(4''-hydroxy-1''-naphthyl)-s-triazine.

Ind. J. of fibre and Textile Research., 1997, 22, 68-71.

K. R. Desai., M. M. Dalal and B. J. Rana.

233. Synthesis and application of quinazoline dyes containing azido and sulphonazo group.

J. of Saudi Chem. Soc., (Saudi Arabia) 1997, 1, 15-20

K. R. Desai and M. M. Dalal.

232. Synthesis and application of Bifunctional reactive dyes containing heterocyclic diazo component.

J. of Saudi Chem. Soc. (Saudi Arabia) 1997, 1, 21-30

K. R. Desai and J. J. Vashi.

231. Synthesis of 2-(phenyl thioureido)-4-(2',7'-dimethyl-4-quinoloxo)-6-(aryl amino)-s-triazine-thiourea derivatives.

J. Proc. Natl. Acad. Sci., 1997.

K. R. Desai and K. H. Chikhalia.

230. 2-[N⁴-{N¹-(4',6'-dimethyl-2'-pyrimidinyl)-sulfanyl amido}]-4-(2'-methoxyphenyl-ureido)-6-(aryl oxy)-s-triazine.

J. Institute of Chemist, 1997, 69, 159.

K. R. Desai, K. D. Patel and B. D. Mistry.

229. Studying the synthesis and dyeing performance of new polyfunction reactive azo dyes.

Ibid., 1997, 13(3), 317-318.

K. R. Desai, B. D. Mistry and N. I. Mali.

228. Heterocyclic monoazo dyes derived from 2-amino benzoxazole and their application on polyester fibre.

- Asian J. of Chemistry*, 1997, 9, 677-680.
K. R. Desai and T. R. Desai.
227. Poly-(urethane urea) S : Part-II.
J. of High Perform. Polym., 1997, 9, 1104.
K. R. Desai, K.B. Patel and H. S. Patel.
226. 2-(4'-nitroanilino)-4-(2''-carbamoyl phenoxy)-6-(aryl ureido)-s-triazine derivatives.
J. Inst. Chemists, 1997, 69, 73.
K. R. Desai and K. H. Chikhalia.
225. 2-N⁴-N'-(4,6'-dimethyl-2-pyrimidiny)-sulphanilamido-4-(2-methoxyphenyl ureido)-6-(aryl oxy)-s-triazine.
J. Inst. Chemist, 1997, 69, 159.
K. R. Desai, K. D. Patel and B. D. Mistry.
224. Synthesis of azo dyes using 2-amino-4:4'-dichloro diphenyl ether-2-sulphonic acid and their application on wool, nylon and silk as acid dyes.
Oriental J. of Chemistry, 1997, 13(3), 313-321.
K. R. Desai and R. D. Naik.
223. Poly-(urethane urea)s – Part-3.
J. Acta. Ciencia Indica, 1997, XXIII No. 3, 109.
K. R. Desai, K. B. Patel and H. S. Patel.
222. Synthesis of substituted s-triazine and coumarin derivatives and antimicrobial agents.
J. Bull. of Pure and Appl. Sci., 1997, 16, 41.
K. R. Desai, K. D. Patel and B. D. Mistry.
221. Poly-(urethane urea)-S: Part-1
Intern.J. Polymeric Mater., 1997, 35, 173-178.
K. R. Desai, K. B. Patel and H. S. Patel.
220. Synthesis of disperse azo dyes based on 4-quinazoline nucleus and their application of polyester fibers.
Oriental J. of Chemistry, 1997, 13(1), 65-68.
K. R. Desai and T. R. Desai.
219. Poly-(urethane urea)-S: Part-4
Intern.J. Polymeric Mater., 1997, 35, 401-408.
K. R. Desai and K. B. Patel.

218. Disperse dyes derived from 2-amino anthraquinone: Synthesis of 2-(2'-anthraquinonyl amino)-4-(p-nitro phenyl thiourea)-6-methoxy-s-triazine dyes and their application.
J. of Ind. Chem. Soc., 1997, 74, 518-519.
K. R. Desai, K. C. Patel, S. K. Patel and B. V. Patel.

YEAR: 1996

217. Synthesis of 2-chloro-4-(p-nitro phenyl thiourea)-6-(3-aryloxy-4'-hydroxy-1'-naphthyl)-s-triazine derivatives and their application on cotton and wool fibres.
Asian J. of Chem., 1996, 8, No.4, 581-585.
K. R. Desai and A. H Patel.
216. Synthesis and dyeing properties of acid azo dyes based on 2-phenyl-3-(4''-aryl azo-4'-benzanilide-1'-yl)-4-oxoquinazolone.
J. Proc. Nat. Acad. Sci., 1996, 66(A), IV, 329-334.
K. R. Desai and M. M. Dalal.
215. Dyeing cellulose / Wool blends with new generation of bifunctional reactive azo dyes.
Oriental J. of Chem., 1996, 12, 323-324.
K. R. Desai and J. P. Raval.
214. Synthesis of monoazo disperse dyes from 2-amino-4-methyl benzothiazole and their application on polyester fibre
Oriental J. of Chem., 1996, 12(2), 193-195.
K. R. Desai and H. E. Patel.
213. Synthesis and dyeing performance of azo disperse dyes based on schiffs base system.
Ind. J. of fibre and Textile Research., 1996, 21, 225-227.
K. R. Desai and H. J. Vashi.
212. Synthesis of Bifunctional reactive dyes based on o-dianisidine and their application on various textile fibres.
J. Bull. Pure and App. Sci., 1996, 15C, 49-52.
K. R. Desai and H. E. Patel.
211. Heterocyclic dyes Synthesis :- Synthesis and dyeing performance of 4-Oxoquinazoline dyes part-I,
J. Indi. Chem. Soc. 1996, 73, 439-44.

- K. R. Desai.
210. Polyimides Based on Poly(2-furanmethanol-formaldehyde)- Part-I
Intern J. Polymesic Mater 1996.
K. R. Desai, K. S. Patel and H. S. Patel.
 209. Dyeing effects of Bifunctional reactive dyes on knitted Cotton fabrics.
J. American Dyestuff report 1996, 85, 22, 25.
K. R. Desai and M. M. Dalal.
 208. Heteroaryl disperse dyes derived from 2-aminobenzo thiazole and their application on polyester Fibre.
Ind. I. Fibre. Text. 1996, 231, 161-64.
K. R. Desai and M. M. Dalal.
 207. Synthesis and dyeing performance of acid - direct dyes based on 2-Mercapto-4-oxoquinazoline nucleus.
I Bull. Pure and App. Sci. 1996, 15C, 9.
K. R. Desai and H. E. Patel.
 206. Synthesis of 2-(4'-aldostyryl)-6-aryloxy-4-oxoquinazoline and their dyeing performance on various textile fibres.
ibid. 1996, 12, 43.
K. R. Desai, V. A. Desai and T. R. Desai.
 205. Synthesis of Hot-brand reactive dyes from resorcinol and their dyeing performance on cotton, wool & silk fibres.
ibid. 1996, 12, 67.
K. R. Desai and V. A. Desai.
 204. Bifunctional reactive dyes & their application on cotton, wool and silk
Ibid. 1996, 12, 22.
K. R. Desai and V. A. Desai.
 203. Modi, B.R., Mistry, B.D., Desai, K.R.
Heterocyclic dye synthesis: synthesis and dyeing performance of Oxoquinazoline dyes. Part-I
(1996) journal of the Indian chemical society, 73 (8), pp. 439-441. Cited 1 time

YEAR: 1995

202. Synthesis of azo dyes from 2-(4'-phenyl-1,3'-butadienyl)-3-aryazo-4-hydroxy-7-methyl quinoline and their application on wool and silk as acid-direct dyes.
Bulletin of pure and appl. Sci., 1995, 14C, 39-41.
K. R. Desai and C. R. De.
201. Synthesis and dyeing properties of 1,4-bis{N-[6-2-aryazo-1-hydroxy-3-sodiumsulphonatonaphth-6-ylamino)-2-chloro-s-triazine-6-yl]} phenylenediamines.
Ind. J. of Fibre & Textile Research., 1995, 20, 218-221.
K. R. Desai and H. J. Vashi.
200. Synthesis and application of quinazoline dyes containing azido and sulphono-azido group.
J. Saudi Chem. Soc., 1995, 1, 15-20.
K. R. Desai and M. M. Dalal.
199. Synthesis of 2-(1',4'-bis-styryl-4'-chloro)-6-aryazo-4-oxoquinazoline dyes and their applications.
Proc. Nat. Acad. Sci. India., 1995, 65(A), 17.
K. R. Desai., B. R. Modi., N. R. Desai. and B. D. Mistry.
198. Studying the dyeing performance of new bifunctional reactive azo dyes.
J. of American Dyestuff Reporter, 1995, 84, 52.
K. R. Desai and U. I. Vashi.
197. Synthesis of monoazo disperse dyes from 2-amino-4-methoxy benzothiazole and their application on polyester fibre.
Oriental Journal of Chemistry, 1995, 11(1), 71-74.
K. R. Desai and M. M. Dalal.
196. Synthesis of 4-oxoquinazoline derivatives and their application on polyester fibre.
Asian Journal of Chemistry, 1995, 7(4), 841-846.
K. R. Desai and M. M. Dalal.
195. Synthesis of azo disperse dyes containing quinazoline ring for dyeing polyester fibres.
Oriental Journal of Chemistry, 1995, 11(1), 91-92.
K. R. Desai and A. H. Patel.

194. Synthesis of 2-chloro-4-(p-methoxy phenylureido)-6-(3'-arylazo-4'-hydroxy-1'-naphthyl)-s-triazine.
J. Indian Chem. Soc., 1995, 72, 841.
K. R. Desai and M. J. Shah.
193. Synthesis and dyeing performance of acid-direct dyes based on 2-mercapto-4-oxoquinazoline nucleus.
Oriental Journal of Chemistry, 1995, 11, 191-92.
K. R. Desai and H. J. Vashi.
192. Synthesis of Disperse bisazo dyes from 4, 4'' - (Bis-(2-methyl-6-amino-4-Oxoquinazoline)benzianilide and their application on polyester fibre.
Oriental Journal of Chemistry 1995, 11, 284.
191. Complexes of CUC(II), Hg (II) Ni(II) and Fe(IV) P-Chlorobenzaldehyde -4-(2-Carboxy-5'-Sulphophenyl)-3-thio semicarbazone.
J. Inst. Chem. 1995, 67, 117.
K. R. Desai, I. J. Patel and G. H. Bhatt.
190. Spectrophotometric determination of CU(II) with Benzaldehyde-4-(2'-Carboxy-5'-Sulphophenyl-3-thio Semi Carber Zone).
ibid. 1995, 67, 120.
K. R. Desai, I. J. Patel, G. H. Bhatt.
189. Spectrophotometric determination of Ni(II) with 1-(4'Sulphophenyl)-3-Carboxy-4-azo-(2''-carboxy-5''-Sulphonic acid)-S-pyrazolone).
ibid. 1995, 67, 120.
K. R. Desai, G. H. Bhatt, I. J. Patel.
188. Bifunctional Dyes derived from 1-Naphthol-7-Amino-3-sulphonic acid containing two reactive monochlorotriazine systems.
J. Ind. Con. Chem. 1995, 11, 15X.
K. R. Desai and M. M. Dalal.
187. Synthesis of mercapto quinazoline dyes and their application on Nylon fibre.
J. Inst. Chem. 1995, 67, 105.
K. R. Desai and A. H. Patel.
186. Synthesis of disperse azo dyes based on benzothiazole nucyes and their application
J. Proc. National Acadimic Sci. India (Allahabad), 1995, 63 (A), IV, 595 to 600. K. R. Desai and B. R. Modi.

185. Synthesis of heterocyclic acid and disperse dyes and their dyeing performance on wool, silk and polyester fibres.
J. Proc. Nat. Acad. Sci. 1995, 65- (A), 267,
K. R. Desai , V. A. Desai.
184. Synthesis of bifunctional reactive dyes containing a monochlorotriazine and vinylsulphone group and their application.
Oriental Journal of Chemistry, 1995, 11, 187-88;
Chem. Abst. 1996, 124, 90238_a,
K. R. Desai and M. M. Dalal.
183. Synthesis and dyeing performance of new quinoline based dyes.
Oriental Journal of Chemistry, 1995, 11(2), 193-94.
Chem. Abst. 1996, 124(6), 59063_C,
K. R. Desai and V. A. Desai.
182. Synthesis of disperse dyes from 2-[2"-amino-4",6"-dinitrobenzothiazole]-4-(aryl amino)-6-(anthraquinone)-1'-yl-amino)-s-triazine and their application on polyester fibre.
Oriental Journal of Chemistry, 1995, 11, 195-996 ;
Chem. Abst. 1996, 124, 59066_h,
K. R. Desai and C. R. De.

YEAR: 1994

181. Synthesis of bistriazinylaminostilbene derivatives and their application on cotton and nylon fibres as fluorescent brighteners.
Ind. J. of Fibre & Textile Research., 1994, 19, 89-94.
K. R. Desai., B. R. Modi., N. V. Mistry and M. J. Shah.
180. Synthesis of 2-(2'-p-aminobenzenesulphonamido-4'-,6'-dimethyl pyrimidine)-4-(4'-methylanilino)-6-(arylthioureido)-S-triazine derivatives and study of their antibacterial activity.
Acta. Ciencia Indica., 1994, 3, 101.
K. R. Desai and S. C. Patel.
179. Synthesis of azo disperse dyes from 2-amino-6-bromo benzothiazole and their application on polyester fibres.
Ind. J. of Fibre and Textile Research, 1994, 19, 46;
Chem. Abst. 1994, 121, 303032, K. R. Desai and B. R. Modi.

178. Synthesis and antimicrobial activity of 2-[4'-(4"-Acetamido phenyl)-thiazol-2'-yl-amino]-4-(4'-methoxyphenyl-amino)-6-(arylureido)-s-triazin and 2-[4'-(4"-Aceta-midophenyl)-thiazol-2'yl-amino-4,6-bis(arylureido)-s-triazine derivatives.
J. Ind. Chem. Soc. 1994, 71, 115 ;
Chem. Abst. 1994, 121, 230745t,
K. R. Desai and B. D. Mistry.
177. Synthesis of Benzothiazoly-s-triazine derivatives and their antimicrobial activity.
J. Ind. Chem. Soc., 1994, 71, 115.
K. R. Desai and P. S. Desai
176. Synthesis and dyeing performance of 2-mercapto-3-(p-bromo-phenyl)-6-arylazo-4-oxoquinazoline.
J. Bull. of Pure Aplied Science, 1994, 13C, 147.
K. R. Desai, V. A. Desai, M. J. Shah and B. D. Mistry.
175. Monoazo disperse dyes derived from 2-amino-4-phenylthia-zole and their application.
Bull. of Pure and Applied Science, 1994, 13C, 323.
K. R. Desai, V. A. Desai, M. J. Shah and B. D. Mistry
174. Synthesis of 8-triazinyl amino coumarin derivative and their fluorescent properties.
Indian Journal of Chemical Tech., 1994, 1, 317.
K. R. Desai , B. R. Modi and D. M. Vashi.
173. Synthesis and antimicrobial activity of 2-[4'-(4"-acetamido phenyl)thiazol-2'-yl-amino-4-(4'-methoxy phenyl-amino)-6-(arylureido)]-s-triazine and 2-[4'(4"-acetamidophenyl)-thiazol-2'-yl-amino-4,bis(arylureido)]-s-tria-zine derivatives.
J. Indian. Chem. Soc., 1994, 71, 51.
K. R. Desai and B. D. Mistry.
172. Synthesis of disperse azo dyes from 2-(o-amino phenyl)-benzimidazole and their application on polyester fibre.
Oriental of Chemistry, 1994, 10(1), 77.
K. R. Desai and U. V. Malankar.

171. Synthesis of benzothiazol-s-triazine derivative and their antimicrobial activity.
J. Indian Chem. Soc., 1994, 71, 155.
K. R. Desai and P. S. Desai.
170. 4-Methyl-7-(4-morpholino-6-aryl thioureido)-s-triazine-2-yl-amino) coumarins as optical brighteners.
J. Inst. of Chem., 1994, 66, 20.
K. R. Desai and U. V. Malankar.
169. Synthesis of monochlorotriazinyl reactive dyes from 1-naphthol-6-amino-3-sulphonic acid and their applications.
Oriental Journal of Chemistry, 1994, 10(1), 83.
K. R. Desai and U. V. Malankar.
168. Monoazo disperse dyes of 2-amino-6-bromo benzothiazole.
J. Inst. of Chem., 1994, 66, 22 ; *Chem. Abst.* 1995, 122, 83688_S,
K. R. Desai and B. R. Modi.
167. Synthesis of monochlorotriazinyl reactive dyes from 1-naphthol-7-amino-3-sulphonic acid and their application.
J. Indian Chem. Soc., 1994, 71, 697;
Chem. Abst. 1995, 122, 316889_a.
K. R. Desai, B. R. Modi, N. R. Desai and B. D. Mistry.
166. Synthesis of azo disperse dyes from 2-(1', 4'-bis-styryl-4'-chloro)-6-amino-4-oxoquinazoline.
J. Indian Chem. Soc., 1994, 71, 701.
K. R. Desai, B. R. Modi, N. R. Desai and B. D. Mistry.
165. Synthesis and antimicrobial activity of cephalosporin derivatives.
Asian Journal of Chemistry, 1994, 6(4), 950.
K. R. Desai, B. D. Mistry and B. R. Modi.
164. Synthesis of disperse azo dye from 2-methyl-3-(4''-arylaazo-4'-benzanilid-1'-yl)-4-oxoquinazoline and their application on polyester fibre.
Oriental Journal of Chemistry, 1994, 10(2), 167.
K. R. Desai and U. V. Malankar.

163. Synthesis of azo dyes from 2,4'-(phenyl-1',3'-butadienyl)-3-arylaazo-4-hydroxy quinoline and their application on viscose rayon, wool and silk as acid-direct dyes. *Oriental Journal of Chemistry*, 1994, 10(2), 171. K. R. Desai and U. V. Malankar.
162. Synthesis of 3-phenyl-4-N(o-anisyl)-N-(2'aryl thioureido-4'-N'-azido-s-triazine-6'-yl)-amino benzo-6,7-b- coumarins and their use as fluorescent brighteners for polyester fibres. *Oriental Journal of Chemistry*, 1994, 10(2), 271-274. K. R. Desai and U. V. Malankar.
164. Synthesis of disperse azo dyes from 2-amino-5-nitro benzo thiazole and their application and polyester fibre. *Oriental Journal of Chemistry*, 1994, 10(2), 301-303. K. R. Desai and U. V. Malankar.
163. 1''-Naphthol-2-(4'-3-sulphatoethyl sulphonyl phenyl)-azo-8-(2''-chloro-4''-aryl ureido-s-triazine-6''-yl)-amino-5,7-disulphonic acid derivatives. *J. Inst. of Chemists*, 1994, 66, 57. K. R. Desai and U. V. Malankar.
162. 2''-chloro-4-(4'-tolyl thioureido)-6-(1''-naphthol-2''-aryl-azo-4''-yl)-s-triazine. *ibid*, 1994, 66, 59. K. R. Desai and U. V. Malankar.
161. Monoazo disperse dyes derived from 2-phenyl-3-(4''-amino-4'-benzanilid-1'-yl)-4-oxoquinazoline and their application. *J. Bull. of Pure and Applied Science*, 1994, 13(C)2, 63-68. K. R. Desai and M. M. Dalal.
160. Heterocyclic monoazo dyes derived from 4-oxoquinazoline. *J. Inst. of Chemists*, 1994, 66, 106-107 ; *Chem. Abst.* 1995, 133(14), 172602_x. K. R. Desai , V. A. Desai, B. R. Modi and B. D. Mistry.
159. Synthesis of disperse azo dyes from 2-methyl-3-(p-methoxy phenyl)-6-amino-4-oxoquinazoline and application on polyester fibre. *J. Bull. of Pure and Applied Science*, 1994, 13C, 79-82. K. R. Desai and H. J. Vashi.

158. 2-(2'-carbamoyl phenoxy)-4-(4'-methyl anilino)-6-(phenyl thioureido)-s-triazine.
J. Inst. of Chemists, 1994, 63, 71.
K. R. Desai and S. C. Patel.
- 157 Heterocyclic monoazo dyes for fibres based on 4-oxoquinazoline.
J. Inst. of Chemists, 1994, 63, 73.
K. R. Desai and U. V. Malankar.
156. Synthesis and dyeing performance of 2-mercapto-3-(p-bromophenyl)-6-arylazo-4-oxoquinazoline.
J. Bull. of Pure and Applied Science, 1994, 13C, 23-26.
K. R. Desai, V. A. Desai, M. J. Shah and B. D. Mistry.
155. Monoazo disperse dyes derived from 2-amino-4-phenyl thiazole and their applications.
J. Bull. of Pure and Applied Science, 1994, 13C, 37-40.
K. R. Desai, V. A. Desai, M. J. Shah and B. D. Mistry.
154. Synthesis of some new mercapto quinazoline dyes.
J. Ind. Council of Chemists, 1994, X(2), 146.
K. R. Desai, V. A. Desai and B. R. Modi.
153. Synthesis of heterocyclic dyes containing azido group.
J. Inst. of Chemists, 1994, 66, 114.
Chem. Abst. 1995, 123(12), 146686_e.
K. R. Desai.
152. Synthesis and antimicrobial activity of 4-[4'[4'-(4"-acet-amido phenyl)-thiazol-2'-yl-amino)-4-(4'-methoxyphenylamino)-6-(aryluroido)-s-triazine and 2-[4'-(4"-acetamidophenyl)-thiazol-2'-yl-amino]-4,6-bis-(aryluroido)-s-triazine derivatives.
K. R. Desai and B. D. Mistry.
151. Bifunctional dyes derived from 1-naphthol-7-amino-3-sulphonic acid containing two reactive monochlorotriazine systems.
J. Ind. Council of Chemists,
K. R. Desai and M. M. Dalal.
150. Synthesis of some New S-triazinyl amino coumarins.
ibid 1994, 10, 81.
K. R. Desai, B. R. Modi, N. V. Mistry and N. R. Desai.

149. Synthesis and Properties of fibre reactive dyes derived from 1-Napthol-8-amino-5,7-disuphonic acid.
Ibid. 1994, 10, 70 ; *Chem. Abst.* 1996, 124(8), 90236_n.
 K. R. Desai, V. A. Desai and B. R. Modi.
148. Synthesis and Thermalstudy of Copolycyanurates derived from 2-monomethyl anilino-4,6-dichloro-5-triazine and aromatic diols.
ibid. 1994, 10, 76 ; *Chem. Abst.* 1996, 124, 147019_a.
 K. R. Desai and N. V. Desai.
147. Synthesis of monochlorotriazinyl reactive dyes containing Hetrocyclic diazo Compnent.
J. Ind. Council. Chem. 1994, 10, 27 ;
Chem. Abst. 1996, 124(10), 120091_f
 K. R. Desai and V. A. Desai.
146. Monoazo disperse dyes derived from 2-methyl-3-methyl-3-(4"-amino-1-binenyl)-4-Oxoquinazoline and their application on nylon and Polyester fibers.
J. Ind. Council. Chem. 1994, 10, 31 ;
Chem. Abst. 1996, 124(10), 120092_g.
 K. R. Desai and V. A. Desai.

YEAR: 1993

145. Synthesis and antimicrobial activity of penicilline derivcatives.
J. Bull. of pure & Applied Science., 1993, 12C, 114
 K. R. Desai, B. D. Mistry and B. R. Modi.
144. Synthesis and properties of Homo and copolycyanurates.
Eur. polym. J. 1993, 29. 1539-41; *Chem. Abst.* 1994, 120, 77781_J,
 K. R. Desai, S. N. Kaula and K. C. Patel.
143. Synthesis and s-triazine substituted coumarin derivatives as antibacterial agent.
J. Bull. of Pure & Applied Science, 1993, 12C, 35 ;
Chem. Abst. 1994, 121, 230747_V.
 K. R. Desai, B. D. Mistry , N. R. Desai and B. R. Modi.

142. Heterocyclic Monopazo dyes derived from 4-oxoquinazoline: Part-II.
J. Dyes and Pigments 1993, 23, 25-32;
Chem. Abst. 1994, 120, 32840_m.
 K. R. Desai, B. R. Modi, N. R. Desai and B. D. Mistry.
141. Studies and synthesis of Benzimidazole derivatives as potential antibacterial agents.
J. Indian Chemical Society, 1993, 70, 175;
Chem. Abst. 1994, 121, 35548_d.
 K. R. Desai and P. S. Desai.
140. Synthesis of 4,4'-bis-(4-morpholino-6-arylhureido/thioureido-s-triazine-2-yl-amino)-stilbene-2:2'-disulphonic acid derivatives and their use as fluorescent brightening agents for cotton and Nylon fibers.
J. Dyes and Pigment, 1993, 23, 65;
Chem. Abst. 1994, 120, 32862_v.
 K. R. Desai, B. R. Modi, N. M. Naik and D. N. Naik.
139. Synthesis and antibacterial activity of -2-(6'-chlorobenzotriazol-2'-yl-amino)-4-(N4-N1-(n-butyl)-sulphanilamido-6-(arylhthioureio)-s-triazine derivatives.
J. Ind. Chem. Soc. 1993, 70, 177; *Chem. Abst.* 1994, 121, 35549_e,
 K. R. Desai and P. S. Desai.
138. Optical whitening agent : 3-Aryl-4-methyl-7-(2'-(p-fluoro anilino)-4'-Aryl-thioureido-s-triazine-6'-yl-Amino) Coumarin.
J. Inst. of Chem. 1993, 65, 91.
 K. R. Desai , M. J. Shah and B. D. Mistry.
137. Synthesis of Anthraquinonoid disperse dyes containing s-triazine moiety and their application on polyester Fibre.
Ind. J. of Fibre and Textile Research, 1993, 18, 211;
Chem. Abst. 1994, 121, 181919_S,
 K. R. Desai and B. R. Modi.
136. Studies on s-triazine part-I : synthesis and Antibacterial activity of 5-(2,4 -Diaryl urieido)-s-triazine-6-71-Barbitoric acid.
Oriental . J. of Chem., 1993, 9, 369;
Chem. Abst. 1994, 121, 230749_X
 K. R. Desai, B. R. Modi and B. D. Mistry.

135. 7-Triazinyl amino coumarin derivatives as fluorescent whitners.
J. Inst. of Chem., 1993, 65, 127;
Chem. Abst. 1995, 122, 216564X
 K. R. Desai, B. R. Modi, N. R. Desai and B. D. Mistry.
134. 4,4'-Bis-(4-(Aryl Thioureido)-6-Azido-s-triazine-2-yl-amino)-stilbene-2,2'-Di-sulphonic acid as fluorescent whitener.
J. Inst. of Chem. 1993, 65, 129;
Chem. Abst. 1995, 122, 216565Y
 K. R. Desai, B. R. Modi, N. R. Desai and B. D. Mistry.
133. Synthesis of 1-(2'-Arylureido-4'-chloro-s-triazine-5'-yl-amino)-8-naphthol-7-(4''-sulphophenyl-1-azo)-2,4-disulphonic acid derivatives.
J. Inst. of Chem. 1993, 65, 133;
Chem. Abst. 1995, 122, 81313S
 K. R. Desai, B. R. Modi, N. R. Desai and B. D. Mistry.
132. 2-Mercapto-3-(p-chlorophenyl)-6-arylo-4-oxoquinazoline dyes.
J. Inst. of Chem., 1993, 65, 135.
 K. R. Desai, N. V. Mistry, B. D. Mistry and V. A. Desai.
131. Phenylthiazol-2'-yl-amino--4-(4'-methoxy phenylamino)-6-(arylureido)-s-triazine.
PROC. NAT. ACAD. SCI., 1993, 63(A)III, 491 ;
Chem. Abst. 1995, 121, 230745t,
 K. R. Desai and B. D. Mistry.
130. Synthesis of disperse azo dyes based on benzothiazole nucleus and their application.
PROC. NAT. ACAD. SCI., 1993, 63(A)IV, 595 ;
Chem. Abst. 1995, 122, 163476m,
 K. R. Desai and B. R. Modi.
129. Synthesis and antibacterial activity of 2-(4'-methyl coumarin-7'-yl-oxy)-4,6-bis(arylureido)-s-triazine.
J. Inst. of Chem. (India), 1993, 65, 122;
Chem. Abst. 1995, 122, 314518e,
 K. R. Desai and B. D. Mistry.

128. Studies and synthesis of coumarianyl-s-triazine derivatives as potential antibacterial agents.
J. Ind. Chem. Soc., Aug. -1993, 70, 777 ;
Chem. Abst. 1994, 121, 230747v.
 K. R. Desai and B. D. Mistry
127. Optical Whitening Agent : 3-aryl-4-methyl-7-(2'-p-fluoro-anilino)-4'aryl-thioureido-s-triazine-6'-yl-amino)-coumarin.
J. Ind. Chem. of Chem., 1993, 65, 91.
 K. R. Desai
126. 2-Chloro-4-(4'-tolylureido)-6-(5"arylazo-2",4"-dihydroxy-1"-phenyl)-s-triazines.
J. Inst. of Chem. 1993, 65, 174 ;
Chem. Abst. 1995, 122, 81314t.
 K. R. Desai and B. R. Modi.
125. Spectrophotometric determination of Cu(II) with p-chloro-benzaldehyde-4-(2'-carboxy-5'-sulphophenyl)-3-thiosemi-carbazone.
J. Inst. of Chem. (India), 1993, 65, 190 ;
Chem. Abst. 1995, 122, 254860y.
 K. R. Desai, G. H. Bhatt and I. J. Patel.
124. Complexes of Cu(II), Ni(II), Cd(II) and Hg(II) with benzaldehyde-4-(2'-carboxy-5'-sulphophenyl)-3-thiosemi-carbazone(BCST).
ibid, 1993, 65, 188 ;
Chem. Abst. 1995, 122, 95129y.
 K. R. Desai , G. H. Bhatt and I. J. Patel.
123. Spectrophotometric determination of Cd(II) with 1-(phenyl)-3-methyl-4-azo-(2'-carboxy-5'-sulphonic acid)-5-pyrazolone.
ibid, 1993, 65, 187 ;
Chem. Abst. 1995, 122, 254859e.
 K. R. Desai, I. J. Patel and G. H. Bhatt.

YEAR: 1992

122. Synthesis and properties of Homo and copolycyanurates.
Eur. polym. J. 1992, 28, 435; *Chem. Abst.* 1992, 116, 256177f,
 K. R. Desai and N. V. Desai.

121. Synthesis of Heterocyclic Compounds: 2-Arylureido-4-(p-methyl-anilino)-6-(2', 4'-Dihydroxy-1'-phenyl)-s-triazine.
J. Inst. of chemists, 1992, 64, 101;
Chem. Abst. 1993, 119, 180741Z,
K. R. Desai and H. M. Patel.
120. Synthesis of 1-naphthol-2-(1'-sulphonaphthyl-2'-azo)-8-(2"-aryl-urea-4"-chloro-s-triazine-6"-yl-amino)-5,7-disulphonic acid derivatives and their applications.
J. Nat. Acad. Sci. 1992, 15, 207.
K. R. Desai and N. V. Mistry and V. A. Desai.
119. 2-(2'-Methoxy-1'-Nitroanilino)-4-(2'-carbamoyle-phenoxy)-6-(Ary-ureido)-s-triazine.
J. Inst. of Chemists, 1992, 64, 67; *Chem. Abst.* 1993, 119, 49347h,
K. R. Desai and P. S. Desai.
118. 2-[4-N4 N'-(n-Butyl)-sulfanilamidol]-4-(4'-chloroanilino)-6-(aryl-thioureido)-s-triazine derivatives.
ibid., 1992, 64, 143; *Chem. Abst.* 1994, 120, 270323
K. R. Desai and P. S. Desai.
117. 2-(Thiazol)-2'-yl-Amino)-4-(4'-methylanilino)-6-(Arylureido)-(I) and 2-[N -N'-(n-Butyl)-sulfanilamido]-4-(4'-chloroanilino)-6-(Aryl-thioureido) (II)-s-triazines.
J. Inst. of Chemist, 1992, 64, 151;
Chem. Abst. 1994, 120, 298589e,
K. R. Desai and P. S. Desai.
116. Synthesis and antibacterial activity of 4-(3H)-Quinazolinone compounds.
ibid, 1992, 64, 155;
Chem. Abst. 1994, 120, 270291C,
K. R. Desai and B. D. Mistry.
115. Optical Whitening Agent: 4:4'-Bis-[4-(Arylurea)-6-[p-Fluoro Anilino)-s-triazine-2-yl-Amino]-stilbeb-2,2'-disulphonic acid.
ibid, 1992, 64, 157;
Chem. Abst. 1993, 119, 273398h,
K. R. Desai and N. V. Mistry.

114. Synthesis of 1-naphthol-2-(3'-sulphophenyl azo)-7-(2''-arylurea-4''-chloro-s-triazine-6''-yl-amino)-3-sulphonic acid derivatives and their application on various fibres.
J. Proc. Nat. Acad. Sci. 1992, 62(A) III, 373-76;
Chem. Abst. 1994, 120, 10356f.
 K. R. Desai and V. R. Naik.
113. Synthesis and antimicrobial activity of 2-(6'-methoxy Quinaldin-3'-yl-oxy)-4-(phenylthioureido)-6-(arylthioureido)-s-triazine.
J. Proc. Nat. Acad. Sci., 1992, 62(A), III, 377-80;
Chem. Abst. 119, 177445a,
 K. R. Desai and B. D. Mistry.
112. 2-[N4-N'-(2'-thiazoly)-sulphanilamido]-4-(4'-methylanilino)-6-(arylureido)-s-triazine.
J. Inst. Chem. 1992, 64, 221; *Chem. Abst.* 1994, 120, 323344f,
 K. R. Desai and P. S. Desai.
111. 2-(2'-chloroanilino)-4-(o-carbanoyl phenoxy)-6-arylureido)-s-triazine as antibacterials.
ibid. 1992, 64, 236; *Chem. Abst.* 1994, 120, 323501e,
 K. R. Desai, V. A. Desai and K. V. Parmar.
110. 8-phenyl-4-methy-7-[4'-Arylureido)-6'-Azido-s-triazine-2'-yl-amino] coumarin synthesis as optical whitening agent.
J. Inst. of Chemists, 1992, 64, 103 ;
Chem. Abst. 1994, 120, 10366j,
 K. R. Desai and V. R. Naik.
109. Synthesis of 2-(2'-p-aminobenzene sulphonamido-4',6'-dimethyl pyrimidine)-4-(4''-methoxy anilino)-6-(arylureido)-s-triazine (Urea derivative).
J. Proc. Nat. Acad. Sci. 1992, 62(A), 743;
Chem. Abst. 1994, 121, 108715t,
 K. R. Desai, V. A. Desai and N. V. Mistry.

YEAR: 1991

108. Titrimetric determination of Ni(II) and CO(II) with EDTA using 1-(4'-sulphophenyl)-3-methyl-4-azo(2''-carboxy-5''-sulphonic acid)-5-pyrazolone [SMACSP] as indicator.

- ibid.* 1991, 63, 32 ; *Chem. Abst.* 1991, 115, 293908_v,
K. R. Desai, K. K. Desai and J. G. Desai.
107. Preparation of 2-(6'-methoxy-2'-styryl-4'-Quinolinoxyl)-4-phenylureido-6-arylthioureido-s-triazine as antibacterial agents.
ibid. 1991, 63, 93; *Chem. Abst.* 1992, 117, 251327_r,
K. R. Desai and H. M. Patel.
106. Reactive dyes : 1-Naphthol-2-(3'-sulphophenylazo)-8-(2"-chloro-4"-aryluroido-s-triazine-6"-yl-amino)-5,7-disulphonic acid derivatives.
ibid. 1991, 63, 137 ; *Chem. Abst.* 1992, 117, 113512_w,
K. R. Desai and V. R. Naik.
105. Synthesis of 4,4'-bis-[4-(aryluroido)-6-(azido)-s-triazine-2-yl-amino]-stilbene-2,2'-disulphonic acid as Fluorescent brightening agent
ibid. 1991, 63, 151; *Chem. Abst.* 1992, 117, 113517_b,
K. R. Desai and V. R. Naik.
104. Quinazoline : 2-[2'-(4"-dimethylaminostyryl)-4'-oxo-Quinazoline-6'-yl-aminol-4-(o-methoxyanilino)-6-(aryluroido)-s-triazine.
ibid., 1991, 63, 153; *Chem. Abst.* 1992, 117, 26489_a,
K. R. Desai and H. M. Patel
103. Synthesis and Antimicrobial activity of some 2-phenylamino-4-aryluroido-6-[4-(2-methyl-Quinazol-4-on-3-yl)-phenylamino-s-triazine.
Indian J. of Heterocyclic Chemistry 1991, 1, 43;
Chem. Abst. 1992, 116.
K. R. Desai and H. M. Patel.
102. Synthesis of some new 2-(6-methoxy-2-methyl-styryl Quinoline-4-oxyl)-4-(4-fluorophenyl) amino-6-aryluroido-s-triazine and their bacterial activity.
ibid. 1991, 1, 45 ; *Chem. Abst.* 1992, 117, 251327_r,
K. R. Desai and H. M. Patel.

YEAR: 1990

101. Synthesis of quinazoline dyes containing azido group and their application.
ibid., 1990, 62, 174 ;

- Chem. Abst.* 1991, 115(112), 51835_b,
K. R. Desai and V. R. Naik.
100. Synthesis of 2-bis-styryl-6-aryldiazo-4-oxoquinazoline dyes and their application.
J. Ind. Chem. Soc., 1990, 67, 51;
Chem. Abst. 1990, 113(106), 61288g,
K. R. Desai and N. M. Naik.
099. Heterocyclic monoazo dyes derived from 4-oxoquinazoline.
J. Dyes and Pigment - England, 1990, 14, 1;
Chem. Abst. 1990, 113(99), 134143_J,
K. R. Desai and D. N. Naik.
098. Synthesis of 2-(6-(2'-carboxy-4'-sulpho phenyl azo)-2'-aryldiazo-4-chloro-s-triazine-6''-yl-amino-5-naphthol-7-sulphonic acid derivatives and their application on various fibres.
Indian J. of Textile Research, 1990, 15, 301.
K. R. Desai and N. M. Naik
097. Synthesis of 2-(2'-methoxyanilino)-4-(2''-p-aminobenzene sulphonamido-4'',6''-dimethyl pyrimidine)-6-(aryldiazo)-s-triazine.
J. National Acad. Sci., 1990, 60A, 7;
Chem. Abst. 1991, 114(772), 164164_C,
K. R. Desai and K. H. Patel.
096. Synthesis of 4,4'-bis-4-(Phenyldiazo)-6-(morpholino)-s-triazine-2-yl-amino)-stilbene-2:2'-disulphonic acid as optical brightening agent.
J. Inst. Chem., 1990, 62, 75;
Chem. Abst. 1991, 114(108), 249288_y,
K. R. Desai and D. N. Naik.
095. Synthesis of 2-(4'-nitroanilino)-4-(2'-carbamoyl phenoxy)-6-(aryldiazo)-s-triazine derivatives as antibacterial agent.
J. Indian Chem. Soc., 1990, 67, 688 ;
Chem. Abst. 1991, 114, 143366_g,
K. R. Desai and P. S. Desai.
094. Synthesis of 2-(4'-methyl coumarinyl-7'-oxy)-4-(4''-methoxy-phenyldiazo)-6-(aryldiazo)-s-triazine.
J. Inst. of Chemists, 1990, 62, 079;

- Chem. Abst.* 1991, 114, 62067_h,
K. R. Desai and V. A. Naik.
093. Synthesis of 2-(4'-bromoanilino)-4-(benzamido-2'-yl-oxy)-6-(substituted phenylureido)-s-triazine derivatives and study of their antibacterial activity.
J. Acta. Ciencia, 1990, 15, 241; *Chem. Abst.* 1992, 117, 26520_d,
K. R. Desai.
092. Preparation of 2-(4'-methyl anilino)-4-(α -amino-glutaric acid)-6-(substituted phenylureido)-s-triazine and study of their optical activity and antibacterial activity.
J. Acta. Ciencia Indica, 1990, 16, 800 ;
Chem. Abst. 1992, 116, 42006_a.
K. R. Desai and N. B. Patel.
091. Synthesis of 2-[7-(2'-carboxy-4'-sulphophenylazo)-2''-aryl-ureido-4''-chloro-s-triazine-6''-yl-amino]-8-naphthol-6-sulphonic acid.
J. Indian Chem. Soc., 1990, 6, 102.
K. R. Desai and D. N. Naik.
090. Synthesis of coumarine and thiazole compounds and study of their physiological activity.
J. Inst. of Chemists., 1990, 62, 110.
K. R. Desai and M. M. Pathak.
089. Preparation of 2-(pyrazinamido)-4-(phenylureido)-6-(aryl-amino)-s-triazine as an antibacterial agents.
ibid, 1990, 62, 118.
K. R. Desai and P. H. Desai.
088. Preparation of 2-(4'-methyl coumarino-7'-yl-oxy)-4-(4'-Bromo-Anilino)-6-(substituted phenylureido)-s-triazine for Antibacaterial)-Activity.
ibid. 1990, 62, 155;
Chem. Abst. 1991, 114 (Jan-June), 164167_h,
K. R. Desai and N. B. Patel.
087. 1-(4'-ssulfophenyl)-3-Methyl(-4-(2'-carboxy-s-4'-sulpnophenyl) azo)-5-pyrazolone as a spectrophotometric Reagent for Nickel(II).
ibid, 1990, 63, 108;
Chem. Abst. 1991, 114, 114203_w,

K. R. Desai and K. K. Desai.

YEAR: 1989

086. Titrimetric determination of Cu(II) and Co(II) ions by EDTA using 1-(2-(4-sulpho carboxy anilino)-2-(m-tolyl phenyl-urea)-4-chloro-s-triazine-6-yl-amino-8-naphthol-3:6-disul-phonic acid as an indicator.
Ibid., 1989, 61, 46 ; *Chem. Abst.* 1990, 112, 190837_e,
K. R. Desai, D. M. Vashi and J. D. Joshi.
085. Synthesis and antibacterial activity of 2,4,-bis(4-methoxyanilino)-6-(N-arylthioureido)-N-amino acyl)-s-triazine.
J. Institution of chemists, 1989, 60, 28 ;
Chem. Abst. 1990, 112, 158201_g.
K. R. Desai and P. H. Desai.
084. Synthesis of 2-mercapto-3-(2',4'-dichloro stilbenyl-6-aryl-azo-4-oxoquinazoline dyes and their application on various fibres.
J. Ind. chem. Soc., 1989, 66, 35 ; *Chem. Abst.* 1989, 111, 196733 U,
K. R. Desai and N. M. Naik.
083. Synthesis of quinazoline dyes containing azido group and their application on various fibres.
J. Inst. of Chemists, 1989, 61, 227;
Chem. Abst. 1991, 114 (73), 8245_b,
K. R. Desai and N. M. Naik.
082. Preparation of 2-(1-nitroanilino-4-(2'-carboxy phenoxy)-6-(substituted phenyl thioureido)-s-triazine and study of their antibacterial activity.
ibid, 1989, 61, 25.
K. R. Desai and N. B. Patel.
081. Synthesis of 2-(4'-methyl coumarinyl)-7'-oxy)-4-(4'-nitro-phenylureido)-6-(arylthioureido)-s-triazine derivative.
J. Acta. Ciencia Indica , 1989, 15C, 361.
K. R. Desai and K. H. Patel.
080. 1-(2-(4-Sulphocarboxyanyl)-2-(m-totyl-phenylurea)-4-chloro-s-triazine-6-yl-amino)-8-naphthol-3:6-disulphonic acid as indicator for EDTA titration of Cu(II) and Co(II).

- J. Inst. of Chemists*, 1989, 61, 24.
K. R. Desai, J. D. Joshi and D. M. Vashi.
079. Preparation of 2-N4-[N1-(1'-phenyl pyrazole) sulfanilamido]-4-(arylthioureido)-6-chloro-s-triazine derivatives.
ibid., 1989, 61, 107; *Chem. Abst.* 1991, 114 (778), 143355_C,
K. R. Desai and P. H. Desai.
077. Synthesis and antibacterial activity of 2,4-(di-4'-fluoro-anilino)-6-(arylthioureido)-s-triazine and 2-(4'-fluoroanilino)-4-(phenylthioureido)-s-triazine.
ibid., 1989, 61, 207; *Chem. Abst.* 1991, 114 (740), 42739_a,
K. R. Desai and P. H. Desai.
076. Synthesis of azo disperse dyes from 2-bis-styryl-6-amino-4-oxoquinazoline and their application on polyester fibres.
J. Ind. Chem. Soc., 1989, 66, 495 ; *Chem. Abst.* 1990, 113(86), 42449_k,
K. R. Desai and N. M. Naik.
075. Reactive disperse dyes : Synthesis of sulphonylazido groups :
Reactive disperse dyes and their application on nylon and polyester fibres.
J. Ind. Chem. Soc., 1989, 66, 501 ; *Chem. Abst.* 1990, 112(59), 8700_C,
K. R. Desai and N. M. Naik.
074. Synthesis of 2-(6-(2'-carboxy-4'-sulphopheny azo)- 2''-arylthioureido-4''-chloro-s-triazine-6''-amine-5-naphthol-7-sulphonic acid derivatives.
J. Inst. Chem., 1989, 61, 225 ; *Chem. Abst.* 1991, 114(106), 104338_C,
K. R. Desai and D. N. Naik.
073. Synthesis and antibacterial activity of 2-(4'-methyl coumarino-7'-yl-oxy)-4-(4'-nitrophenyl ureido)-6-sustituted arylureido-s-triazine.
ibid., 1989, 61, 95 ; *Chem. Abst.* 1991, 114(740), 42736_X,
K. R. Desai and B. D. Mistry.

YEAR: 1988

- 072 Synthesis of 3-phenyl-4-methyl-[7-(4'-arylurea)-6'-amino-s-triazine-2'-yl-amino]-coumarin as optical whitening agents.
J. Inst. Chem., 1988, 60, 179 ; *Chem. Abst.* 1989, 111, 98953_W,

K. R. Desai and N. M. Naik.

071. Synthesis of s-triazine derivatives.
J. Indian Chem. Soc., 1988, 65, 300 ; *Chem. Abst.* 1988, 109, 170387_t,
K. R. Desai and M. M. Pathak.
070. Preparation of N-aryl-N'-4-methyl caproyl urea derivatives.
J. National Academy of Sciences, 1988, 58, 169 ;
Chem. Abst. 1989, 111, 77598 U
K. R. Desai and S. K. Kapadia.
069. Synthesis of physiologically active 2:4-dimetatoluidino-s-triazine-6-yl-amino acetyl phenylurea.
J. Inst. Chem., 1988, 60, 3.
K. R. Desai and T. G. Mistry.
068. 1-[(7-Azosulphonaphthyl)-2-carboxy-sulphoanilino-4-chloro-s-triazine-6-yl-amino]-8-naphthol-3,6-disulphonic acid as an indicator for direct EDTA. Titration of Ni(II) ion.
J. Acta. Ciencia Indica, 1988, 54, 798 ; *Chem. Abst.* 1990, 113, 17014_g,
K. R. Desai, D. M. Vashi and K. C. Patel.
067. Synthesis of 2-(4'-methyl coumarino-7'-yl-oxy)-4-(4'-methyl anilino-6-(aryluroido)-s-triazine derivatives.
J. Inst. Chem., 1988, 59, 11.
K. R. Desai and P. S. Desai.
066. Preparation of 2-(N4-N1-(21-thiazolyl)-sulphanilamido)-4-(4'-bromoanilino)-6-(substituted phenyl thioureido)-s-triazine and study of their antibacterial activity.
J. Ind. Chem. Soc., 1988, 65, 384 ; *Chem. Abst.* 1988, 109, 170390p.
K. R. Desai and N. B. Patel.
065. Synthesis and biological activity of 2-(4'-methoxyanilino-4-{N4-[N1-(6'-methoxy-5'-pyridaziny)-sulfanilamido]})-6-(aryl thioureido)-s-triazine.
J. Ind. Chem. Soc., 1988, 65, 806 ; *Chem. Abst.* 1989, 111, 153752_g,
K. R. Desai and B. D. Mistry.
064. Preparation of 2-(3'-nitroanilino)-4-(2'-carboxyphenoxy)-6-(substituted phenylthioureido)-s-triazine and study of their antibacterial activity.
J. Inst. Chem., 1988, 61, 41; *Chem. Abst.* 1990, 112, 158202_h.

K. R. Desai and N. B. Patel.

063. Preparation of 1-(arylureido)-3-phenyl-4-keto-3/4-dihydro-7-(sulphaphenazolen) sulphophthalazine.
ibid., 1988, 60, 227 ; *Chem. Abst.* 1990, 112, 35784G.
K. R. Desai And P. H. Desai.
062. Studies on quinazoline and mercaptoquinazoline:preparation and antibacterial activity of 2-(2'-styryl-4'-oxaquinazoline-6-yl-amino)-4-(arylureido)-6-chloro-s-triazine and 2-(2'-mercapto-3'-(4"-methylphenyl)-4'-oxoquinazolineo-6'-yl-amino)-4,6-bis(arylureido)-s-triazine.
J. Ind. Chem. Soc., 1988, 65, 804 ; *Chem. Abst.* 1989, 110, 212775W,
K. R. Desai and P. H. Desai.
061. Synthesis of 2-(6'-methoxy-2'-methyl-4'-quinolinoxy-4-(phenylureido)-6-(arylamino)-s-triazine and study of their antitubercular and antibacterial activity.
J. Ind. Chem. Soc., 1988, 65, 805 ; *Chem. Abst.* 1989, 111, 7354n.
K. R. Desai and P. H. Desai.
060. Synthesis of 1-(7'-(4-sulpho carboxy anilino)-2-(aryl thio-urea)-4-chloro-s-triazine)-6-yl-amino]-8-naphthol-3,6-disulphonic acid derivative.
J. Institution of Chemists, 1988, 60, 125 ;
Chem. Abst. 1989, 110, 156079b,
K. R. Desai and N. M. Naik.
059. Synthesis of 4,4'-[bis-4-(arylurea)-6-(morpholino)-s-triazine-2-yl - amino-stilbene-2,2'-disulphonic acid as fluorescent brightening agent.
ibid, 1988, 60, 123 ;
Chem. Abst. 1989, 110, 156094J,
K. R. Desai and N. M. Naik.

YEAR: 1987

058. Studies on quinoline aryl phenothiazine:- Prepatation and antimicrobial activity of 2-morpholino-4-(8'-oxquinolino-6-phenylurea-s-triazine and 1,3,7,9-tetrachloro-10-(acetyl phenylurea)-phenothiazine.
J. Ind. Chem. Soc., 1987, 64, 128 ; *Chem. Abst.* 1987, 107, 194785f,
K. R. Desai and S. K. Kapadia.
057. Synthesis of 2,4-diarylureido-6-yl-amino ceramidione-s-triazine

derivatives.

J. Ind. Chem. Soc., 1987, 64, 760-1;

Chem. Abst. 1988, 109, 56554_V,

K. R. Desai and N. M. Naik.

056. Synthesis of 2-chloro-4-phenyl-2,4-amido-6-[3'-azo-8"-naphthol-3",6"-disulphonic acid]-4-hydroxy-1'-naphthyl-s-triazine.

J. Inst. Chem., 1987, 59, 263 ; *Chem. Abst.* 1988, 109, 39385_Y.

K. R. Desai and N. M. Naik.

055. Synthesis of 2-(2'-methoxy anilino)-4-benzamido-2'-yl-oxy)-6-(substituted phenyl ureido)-s-triazine derivatives and study of their antibacterial activity.

J. Ind. Chem. Soc., 1987, 64, 273; *Chem. Abst.* 1988, 109, 211010_K,

K. R. Desai and P. H. Desai.

054. Synthesis of 2-(4'-methyl coumarino-7'-yl-oxy)-4-(4'-bromo anilino)-6-(aryl thioureido)-s triazine.

J. Inst. Chem., 1987, 59, 265 ; *Chem. Abst.* 1988, 109, 211012_N,

K. R. Desai and P. H. Desai.

YEAR: 1986

053. Synthesis of physiologically active 2-(4'-methyl-7'-hydroxy coumarin)-6-chloro-4-phenyl thiourea-s-triazine derivatives

ibid., 1986, 58, 91; *Chem. Abst.* 1988, 108, 112398_r,

K. R. Desai and S. K. Kapadia.

052. Disperse dyes derived from 1-amino anthraquinone.

ibid., 1986, 58, 95 ; *Chem. Abst.* 1986, 108, 154659_r,

K. R. Desai and D. M. Vashi.

051. Synthesis of phenyl thiourea derivatives of quinoline and phenothiazine.

ibid., 1986, 58, 104; *Chem. Abst.* 1987, 106, 213873_f,

K. R. Desai and M. M. Pathak.

050. Synthesis of optically active S-(+)-N-aryl-N'-2-methyl valeryl urea derivatives via Arndt-Eistert reaction.

ibid., 1986, 58, 127; *Chem. Abst.* 1987, 106, 196013_f,

K. R. Desai and S. K. Kapadia.

049. Synthesis of optically active aliphatic thiolesters from S-(+)-2-methyl-1-bromo butane.
ibid., 1986, 58, 149 ; *Chem. Abst.* 1987, 106, 155883W,
K. R. Desai and M. M. Pathak.

YEAR: 1985

048. Synthesis of 4,4'-bis-[4-(phenyl urea)-6-(carboxy sulpho-anilino)-s-triazine-2-yl-amino]-tilbene-2,2-disulphonic acid.
Inst. of Chemists, 1985, 57, 53; *Chem. Abst.* 1986, 104, 20729P,
K. R. Desai and D. M. Vashi.
047. Titrimetric determination of Cu(II) by EDTA using 1-[5-azo-disulphonaphtyl]-2:4-dichloro-s-triazine-6-yl-methylamino]-6-naphthel-4-ulphonic acid.
ibid., 1985, 57, 104 ; *Chem. Abst.* 1988, 108, 101533X,
K. R. Desai, D. M. Vashi and K. C. Patel.
046. Synthesis of 2-(2-acetamido phenoxy-4-aniline-6-phenylurea-s-triazine and study of their antibacterial activity.
J. Ind. Chem. Soc., 1985, 62, 168 ; *Chem. Abst.* 1986, 105,153037d,
K. R. Desai and M. M. Pathak.
045. Synthesis of fibre reactive azopyrazoline dyes :-
Synthesis of 1-[(2,5-dichloro-4-sulphopheny)-3-methyl-4-phenyl-azo-(4'-phenylurea-6'-chloro-s-triazine-2-yl)-aminol]-5-pyrazoline derivative.
J. Inst. Chem., 1985, 57, 147; *Chem. Abst.* 1986, 104, 111321r,
K. R. Desai and D. M. Vashi

YEAR: 1984

044. 1-[2-(4-Sulphocarboxy anilino)-2-(m-chlorophenyl urea)-4-chloro-s-triazine-6-yl-amino]-8-naphthol-3-,6-disulphonic acid as an indicator for the direct EDTA titration of Co(II) ion.
ibid., 1984, 17, 21; *Chem. Abst.* 1984, 100, 220749Z,
K. R. Desai and J. D. Joshi and K. G. Patel.
043. Study of Arndt-Eistert reaction : Synthesis of N-aryl-N'-3-methyl caproyl urea derivatives.
J.Ind.Chem.Soc., 1984, 61, 814;*Chem. Abst.* 1985,103, 71017S,

K. R. Desai and M. M. Pathak

042. Nickel indicator 1-(5-(azodisulphonaphthyl)-2,4-dichloro-s-triazine-6-yl-methylamino)-6-naphthol-4-sulphonic acid for titrimetric determination of Ni(II) by EDTA.
J. Acta. Ciencia Indica, 1984, (10C), 262 ;
Chem. Abst. 1985, 103, 81001W,
K. R. Desai, K. C. Patel and D. M. Vashi.
041. Titrimetric determination of Co(II) by EDTA using 1-[[5-azo disulphonaphthyl]-2,4-dichloro-s-triazine-6-yl-methylamino]-6-naphthol-4-sulphonic acid.
J. Textile Dyers and Printers, 1984, 12, 21 ;
Chem. Abst. 1984, 101, 203514X,
K. R. Desai, K. C. Patel and D. M. Vashi
040. Titrimetric determination of Fe(II) by EDTA using 1,5-(azo disulphonaphthyl)-2,4-dichloro-s-triazine-6-yl-methylamino-6-naphthol-4-sulphonic acid as an indicator.
J. Inst. Chem., 1984, 56 ; *Chem. Abst.* 1984, 101, 203514X,
K. R. Desai, K. C. Patel and D. M. Vashi.

YEAR: 1983

039. Preparation of sulfonic esters from S-(+)-2-methyl-1-bromobutan.
ibid., 1983, 55, 85 ; *Chem. Abst.* 1983, 99, 194392S.
K. R. Desai, T. G. Mistry and H. M. Minochaherhomji.
038. Thin layer chromatography of some modern optical whitening agents.
ibid., 1983, 55, 111; *Chem. Abst.* 1983, 99, 177485_g,
K. R. Desai and D. M. Vashi.
037. Titrimetric determination of Co(II) by EDTA using disperse yellow G as an indicator.
J. Chemical Era, 1983, 18, 289 ; *Chem. Abst.* 1983, 99, 98434_m,
K. R. Desai, B. B. Vakil and B. N. Oza.
036. Titrimetric determination of Cu(II) by EDTA using disperse yellow EG as an indicator.
J. Inst. Chem., 1983, 55, 71; *Chem. Abst.* 1983, 99, 11502_m,

K. R. Desai, B. B. Vakil and B. N. Oza.

035. Preparation of phenyl thiourea derivatives from optically active S-(+)-2-methyl-butyrac acid by Arndt-Eistert reaction.
ibid., 1983, 55, 167 ; *Chem. Abst.* 1984, 100, 120490_g,
K. R. Desai and S. K. Kapadia.
034. New optical whitening agents : Synthesis of 4,4'-bis(4-phenyl urea-6-(sulphoanilino)-s-triazine-2-yl-amino)-stilbene-2,2'-disulphonic acid.
ibid., 1983, 55, 163 ; *Chem. Abst.* 1984, 100, 35827_k,
K. R. Desai and K. C. Patel.
033. Synthesis of reactive azo dyes : 1-[2-(3-sulphoanilino)-2-(phenyl urea)-4-chloro-s-triazine-6-yl-amino]-8-naphthol-3,6-disulphonic acid derivatives.
ibid., 1983, 55, 165 ; *Chem. Abst.* 1984, 100, 35813_C,
K. R. Desai and D. M. Vashi.
032. Synthesis of 3-aryl-4-methyl-7-substituted amino coumarins as optical brighteners.
ibid., 1983, 55, 199 ; *Chem. Abst.* 1984, 100, 193520_J,
K. R. Desai and K. C. Patel.
031. 1-[7-(Azo sulpho naphthyl)-2-carboxy sulphoanilino-4-chloro-s-triazine-6-yl-amino]-8-naphthyl-3,6-disulphonic acid as an indicator for the direct titration of cobalt ion.
J. South Guj. Uni., 1982, 11, 193 ; *Chem. Abst.* 1990, 113, 17014_g,
K. R. Desai, D. M. Vashi and K. C. Patel.
030. New indicator 1-(5-azo-(1,4-sulphophenyl)-3-carboxy-5-pyrazolone-2-chloro-4-sulphoanilino-s-triazine-6-yl-amino)-4-sulphonic acid for the direct EDTA titration of Cu(II) ion.
ibid., 1983, 16, 25 ; *Chem. Abst.* 1983, 98, 118667_Z,
K. R. Desai and D. M. Vashi.
029. A new indicator N-nitrophenyl urea-N'-α-amino-isocaproic acid for the direct EDTA titration of copper ion.
J. Acta. Ciencia Indica, 9(c), 1983, 102 ;
Chem. Abst. 1983, 101, 122056_X,
K. R. Desai and J. D. Joshi.

028. A study on optical activity and physiological activity of N-phenyl urea-N'-acetyl-amino-propionic acid.
J. Acta. Ciencia Indica, 1983, 9, 79; *Chem. Abst.* 1984, 101, 110477X,
 K. R. Desai, N. G. Lad and C. M. Desai.
027. Synthesis of physiologically active 2,4-dianilino-s-triazine-6-yl-amino-acyl phenyl thiourea derivatives.
J. Inst. Chem., 1983, 55, 222 ; *Chem. Abst.* 1984, 101, 90882V,
 K. R. Desai and S. K. Kaoadia.

YEAR: 1982

026. Reactive dye-Golden yellow H. R. as indicator for the direct EDTA titration of copper ion.
ibid., 1982, 54, 67; *Chem. Abst.* 1982, 97, 84199K,
 K. R. Desai and J. D. Joshi.
025. Benzidine diazo-4-(salicylic acid)-4'-1-naphthol-7-amino-3-sulphonic acid as indicator for the direct EDTA titration of copper.
J. Inst. Chem., 1982, 54, 141; *Chem. Abst.* 1982, 97, 155441W,
 K. R. Desai and J. D. Joshi.
024. Asymmetric synthesis between S-(+)-3-methyl valeraldehyde and grignard reagent studies on stereo selectivity. *ibid.*, 1982, 54, 19.
 K. R. Desai and I. G. Vashi.
023. New indicator 1-[5-(azo disulphonaphthyl)-2-chloro-4-amino-s-triazine-6-yl-methylamino]-6-naphthyl-4-sulphonic acid as an indicator for the EDTA titration of Cu(II) ion.
J. Textile Dyers and Printers, 1982, 16, 29 ;
Chem. Abst. 1984, 100, 220750t,
 K. R. Desai and D. M. Vashi.
022. 1-[7-(Azo sulphonaphthyl)-2-carboxy sulphoanilino-4-chloro-s-triazine-6-yl-amino]-8-naphthyl-3-,6-disulphonic acid as an indicator for the direct EDTA titration of Fe(II) ion.
ibid., 1982, 16, 32.
 K. R. Desai, K. C. Patel and D. M. Vashi.

YEAR: 1981

021. Synthesis of optically active aliphatic thio ethers from S-(+)-2-methyl butan-1-thiol.
J. Acrta. Ciencia Indica, 1981, 7, 207 ; *Chem. Abst.* 1976, 84, 58573L,
K. R. Desai.
020. Synthesis of optically active N-phenylurea-N'-3-methyl buteramide and related compounds.
ibid., 1981, 53, 54 ; *Chem. Abst.* 1981, 95, 61711r,
K. R. Desai, T. G. Mistry and H. M. Minocharherhomji.
019. Preparation of optically active N-phenylurea-N'-3-methyl valeramide and related compounds.
J. Inst. Chem., 1981, 53, 147 ; *Chem. Abst.* 1981, 95, 186810d,
K. R. Desai, N. G. Lad and C. M. Desai.
018. Study of the infra-red spectra of optically active aliphatic thiolesters, derived from S-(+)-2-methylbutan-1-thiol.
J. South Gujarat Uni., 1981, 10, 120.
K. R. Desai.
017. 1-(p-Solphonyl)-3-methyl-4-diazo-(primuline)-5-pyrazolone as an indicator for the direct EDTA titration of copper ion.
J. South Gujarat Uni., 1981, 10, 129.
K. R. Desai and J. D. Joshi.
016. Preparation of optically active N-phenylurea-N'-acetylmino-iso-caproio acid (leucine) and related compounds.
J. Inst. Chem., 1981, 53, 241.
K. R. Desai, N. G. Lad and C. M. Desai.
015. Synthesis of physiologically active and optically active S-(+)-N-phenyl-thiourea-N'-2-methyl buteramide and related compounds.
ibid., 1981, 53, 279.
K. R. Desai, N. G. Lad and C. M. Desai.

YEAR: 1980

014. Study on the synthesis of optically active sulfides from S-(-)-2-methyl butan-1-ol.
ibid., 1980, 9, 98.
K. R. Desai, R. C. Gandhi and C. M. Desai.

013. Synthesis of physiologically active and optically active N-phenylurea-N'-3-methyl capramide and related compounds.
ibid., 1980, 52, 250 ; *Chem. Abst.* 1981, 95, 6755_h,
K. R. Desai, R. C. Gandhi and C. M. Desai.

YEAR: 1979

012. A new indicator for the titrimetric determination of iron with potassium dichromate.
J. Inst. Chem., 1979, 51, 68 ; *Chem. Abst.* 1979, 91, 221804_W,
K. R. Desai and B. N. Oza.
011. Synthesis of optically active S-(-)-N-phenyl-N'-2-methyl butyl urea and related compounds.
J. South Gujarat Uni., 1979, 8, 85.
K. R. Desai, N. G. Lad and C. M. Desai.

YEAR: 1977

010. Study of the infra-red spectra of optically active aliphatic esters derived by Arndt-Eistert synthesis.
J. South Gujarat Uni., 1977, 6, 97.
K. R. Desai.
009. To estimate the relative amounts of optical isomers of tertiary alcohols and secondary alcohols by Gas-liq-chromatography.
ibid., 1977, 6, 130.
K. R. Desai.

YEAR: 1975

008. Optical resolution of benzoin and its asymmetric reduction to 1:2 diphenylglycol,
J. Gujarat Uni., 1975, 18, 61.
K. R. Desai and I. G. Vashi.
007. Optically active aryl thioether from S-(+)-2-methylbutan- thiol.
J. Ind. Chem. Soc., 1975, 52, 837 ; *Chem. Abst.* 1982, 87, 38596
K. R. Desai and I. G. Vashi.

YEAR: 1974

006. Synthesis of anilides from optically active S-(+)-1-methylbutyric acid by Arndt-eistert Synthesis,
J. Inst. Chem., 1974, 45, 126 ; *Chem. Abst.* 1973, 78, 57697X,
K. R. Desai and I. G. Vashi.

YEAR: 1973

005. Study of optical rotation and physical properties of higher homologous aliphatic alcohols synthesised from S-(-)-2-methylbutan-1-01,
Ibid., 1973, 45, 79; *Chem. Abst.* 1973, 79, 31408Z,
K. R. Desai and I. G. Vashi.
004. Study of infra-red spectra of optically active aliphatic tertiary alcohols derived from S-(+)-3-methyl nonanone-5,
J. Gujarat Uni., 1973, 17, 48.
K. R. Desai and I. G. Vashi.

YEAR: 1972

003. Studies on optical activity of higher homologous acids prepared from S-(+)-1-methylbutyric acid by Arndt-Eistert synthesis,
Ibid., 1972, 44, 133; *Chem. Abst.* 1973, 79, 57621C,
K. R. Desai and I. G. Vashi.
002. Synthesis of optically active esters from S-(+)-1- methyl butyric acid by Arndt-Eistert synthesis,
Ibid., 1972, 44, 77; *Chem. Abst.* 1973, 78, 57697X,
K. R. Desai and I. G. Vashi.

YEAR: 1971

001. Synthesis of optically active aliphatic tertiary alcohols from S-(+)-3-methyl nonanone-5,
J. Inst. Chem., 1971, 43, 168; *Chem. Abst.* 1972, 76, 58892C,
K. R. Desai and I. G. Vashi.